



NRP JONES HOSE & FITTING CRIMP SPEC

HOSE CATEGORY	HOSE SERIES	HOSE SIZE	FERRULE SERIES	FITTING PREFIX	COUPLING TYPE	CRIMP DIA (IN)	CRIMP DIA (MM)	SKIVE LENGTH (IN)	INSERTION DEPTH (IN)	CRIMP TYPE	WORKING PRESSURE (PSI)
SAE 100R14 (P.T.F.E.)	6014-04	3/16	N/A	204-1PTF	1PTF	.355 to .365	9.02 to 9.27	N/A	7/8"	Crimp to knurl	2750
SAE 100R5 (Cotton Cover)	A005-04	3/16	503-R5-500	203-	2 Piece - Steel - Non-Skived	0.620	15.75	N/A	Full	Full	3000
SAE 100R5 (Cotton Cover)	A005-04	3/16	N/A	204-1PR5	1PR5	0.560	14.22	N/A	0.875	Crimp to knurl	3000
SAE 100R5 (Cotton Cover)	A005-04	3/16	503-500	203-	2 Piece - Steel - Non-Skived	0.635	16.13	N/A	Full	Full	3000
SAE 100R5 (Rubber Cover)	A055-04	3/16	503-R5-500	203-	2 Piece - Steel - Non-Skived	0.620	15.75	N/A	Full	Full	3000
SAE 100R5 (Rubber Cover)	A055-04	3/16	503-500	203-	2 Piece - Steel - Non-Skived	0.635	16.13	N/A	Full	Full	3000
SAE 100R1AT (1 Wire Braid)	A101-03	3/16	503-500	203-	2 Piece - Steel - Non-Skived	0.620	15.75	N/A	Full	Full	3000
SAE 100R2AT (2 Wire Braid)	A102-03	3/16	503-500	203-	2 Piece - Steel - Non-Skived	0.635	16.13	N/A	Full	Full	6000
SAE 100R5 (Cotton Cover- High Temp 1)	A803-04	3/16	N/A	204-1PR5	1PR5	0.560	14.22	N/A	0.875	Crimp to knurl	3000
SAE 100R2AT (2 Wire Braid)	S102-03	3/16	503-500	203-	2 Piece - Steel - Non-Skived	0.635	16.13	N/A	Full	Full	6000
SAE 100R7 OBSOLETE	3107-04	1/4	N/A	204-1P	1P	.530 to .550	13.46 to 13.97	N/A	7/8"	Crimp to knurl	2750
SAE 100R7 OBSOLETE	3107-04	1/4	N/A	204-KT	KT	0.570	14.48	N/A	1.28	Crimp to knurl	2750
SAE 100R7 (Thermoplastic)	3107N-04	1/4	N/A	204-R7	R7	0.575	14.61	N/A	1.25"	Crimp to knurl	2750
SAE 100R8 (Thermoplastic)	3107N-04	1/4	N/A	204-R7	R7	0.575	14.605	N/A	1.25	Crimp to knurl	5000
SAE 100R8 OBSOLETE	3108-04	1/4	N/A	204-1P	1P	.530 to .550	13.46 to 13.97	N/A	7/8"	Crimp to knurl	5000
SAE 100R8 OBSOLETE	3108-04	1/4	N/A	204-KT	KT	0.570	14.48	N/A	1.28	Crimp to knurl	5000
SAE 100R7 OBSOLETE	3207-04	1/4	N/A	204-1P	1P	.530 to .550	13.46 to 13.97	N/A	7/8"	Crimp to knurl	2750
SAE 100R7 (Thermoplastic)	3207N-04	1/4	N/A	204-R7	R7	0.575	14.61	N/A	1.25"	Crimp to knurl	2750
SAE 100R8 OBSOLETE	3208-04	1/4	N/A	204-1P	1P	.530 to .550	13.46 to 13.97	N/A	7/8"	Crimp to knurl	5000
SAE 100R7 OBSOLETE	3307-04	1/4	N/A	204-1P	1P	.530 to .550	13.46 to 13.97	N/A	7/8"	Crimp to knurl	2750
SAE 100R7 (Thermoplastic)	3307N-04	1/4	N/A	204-R7	R7	0.575	14.61	N/A	1.25"	Crimp to knurl	2750
SAE 100R8 OBSOLETE	3308-04	1/4	N/A	204-1P	1P	.530 to .550	13.46 to 13.97	N/A	7/8"	Crimp to knurl	5000
SAE 100R7 OBSOLETE	3407-04	1/4	N/A	204-1P	1P	.530 to .550	13.46 to 13.97	N/A	7/8"	Crimp to knurl	2750
SAE 100R7 (Thermoplastic)	3407N-04	1/4	N/A	204-R7	R7	0.575	14.61	N/A	1.25"	Crimp to knurl	2750
SAE 100R8 OBSOLETE	3408-04	1/4	N/A	204-1P	1P	.530 to .550	13.46 to 13.97	N/A	7/8"	Crimp to knurl	5000
SAE 100R14 (P.T.F.E.)	6014-05	1/4	N/A	205-1PTF	1PTF	.420 to .425	10.67 to 10.80	N/A	7/8"	Crimp to knurl	2610
SAE 100R5 (Cotton Cover)	A005-05	1/4	504-500	204-	2 Piece - Steel - Non-Skived	0.680	17.27	N/A	Full	Full	3000
SAE 100R5 (Cotton Cover)	A005-05	1/4	504-SS-500	706-SS-	2 Piece - Stainless - Non-Skived	0.652	16.56	N/A	Full	Full	3000
SAE 100R5 (Cotton Cover)	A005-05	1/4	504-S16-500	204-S16	2 Piece - 316 Stainless - Non-Skived	0.652	16.56	N/A	Full	Full	3000
SAE 100R5 (Cotton Cover)	A005-05	1/4	N/A	204-1J	1J (2016 Ferrule)	0.650	16.51	N/A	27/32" (0.845)	Full	3000
SAE 100R5 (Cotton Cover)	A005-05	1/4	N/A	205-1PR5	1PR5	0.585	14.86	N/A	0.85	Crimp to knurl	3000
SAE 100R5 (Rubber Cover)	A055-05	1/4	504-500	204-	2 Piece - Steel - Non-Skived	0.680	17.27	N/A	Full	Full	2000
SAE 100R5 (Rubber Cover)	A055-05	1/4	504-SS-500	706-SS-	2 Piece - Stainless - Non-Skived	0.652	16.56	N/A	Full	Full	2000
SAE 100R5 (Rubber Cover)	A055-05	1/4	504-S16-500	204-S16	2 Piece - 316 Stainless - Non-Skived	0.652	16.56	N/A	Full	Full	2000
Pressure Wash Hose	A096-04	1/4	204-200	204-	2 Piece - Steel - Skived	0.680	17.27	11/16"	Full	Full	3000
Pressure Wash Hose	A098-04	1/4	564-500	204-	2 Piece - Steel - Non-Skived	0.680	17.27	N/A	Full	Full	3000
Pressure Wash Hose	A098-04	1/4	504-500	204-	2 Piece - Steel - Non-Skived	0.680	17.27	N/A	Full	Full	3000
SAE 100R1AT (1 Wire Braid)	A101-04	1/4	504-500	204-	2 Piece - Steel - Non-Skived	0.680	17.27	N/A	Full	Full	2750
SAE 100R1AT (1 Wire Braid)	A101-04	1/4	504-SS-500	704-SS-	2 Piece - Stainless - Non-Skived	0.652	16.56	N/A	Full	Full	2750
SAE 100R1AT (1 Wire Braid)	A101-04	1/4	504-S16-500	204-S16	2 Piece - 316 Stainless - Non-Skived	0.652	16.56	N/A	Full	Full	2750
SAE 100R1AT (1 Wire Braid)	A101-04	1/4	N/A	204-1J	1J (2016 Ferrule)	0.650	16.51	N/A	27/32" (0.845)	Full	2750
SAE 100R1AT (1 Wire Braid)	A101-04	1/4	N/A	204-KT	KT	0.585	14.86	N/A	1.28	Crimp to knurl	2750
SAE 100R2AT (2 Wire Braid)	A102-04	1/4	504-SS-500	704-SS-	2 Piece - Stainless - Non-Skived	0.687	17.45	N/A	Full	Full	5800
SAE 100R2AT (2 Wire Braid)	A102-04	1/4	504-S16-500	204-S16	2 Piece - 316 Stainless - Non-Skived	0.687	17.45	N/A	Full	Full	5800
SAE 100R2AT (2 Wire Braid)	A102-04	1/4	504-500	204-	2 Piece - Steel - Non-Skived	0.690	17.53	N/A	Full	Full	5800
SAE 100R2AT (2 Wire Braid)	A102-04	1/4	N/A	204-1J	1J (2016 Ferrule)	0.690	17.53	N/A	27/32" (0.845)	Full	5800
SAE 100R2AT (2 Wire Braid)	A102-04	1/4	N/A	204-KT	KT	0.645	16.38	N/A	1.28	Crimp to knurl	5800
SAE 100R16 (Hydra Lite II)	A150-04	1/4	204-200	204-	2 Piece - Steel - Skived	0.645	16.38	11/16"	Full	Full	5800
SAE 100R16 (Hydra Lite II)	A150-04	1/4	604-200	204-	2 Piece - Aluminum - Skived	0.645	16.38	11/16"	Full	Full	5800

SAE 100R16 (Hydra Lite II)	A150-04	1/4	504-500	204-	2 Piece - Steel - Non-Skived	0.690	17.53	N/A	Full	Full	5800
SAE 100R16 (Hydra Lite II)	A150-04	1/4	504-A-500	204-	2 Piece - Aluminum - Non-Skived	0.690	17.53	N/A	Full	Full	5800
SAE 100R16 (Hydra Lite II)	A150-04	1/4	N/A	204-1J	1J (2016 Ferrule)	0.690	17.53	N/A	27/32" (0.845)	Full	5800
SAE 100R16 (Hydra Lite II)	A150-04	1/4	N/A	204-KT	KT	0.615	15.62	N/A	1.28	Crimp to knurl	5800
SAE 100R17 (Hydra Lite I)	A151-04	1/4	204-200	204-	2 Piece - Steel - Skived	0.620	15.75	11/16"	Full	Full	3000
SAE 100R17 (Hydra Lite I)	A151-04	1/4	604-200	204-	2 Piece - Aluminum - Skived	0.610	15.49	11/16"	Full	Full	3000
SAE 100R17 (Hydra Lite I)	A151-04	1/4	504-500	204-	2 Piece - Steel - Non-Skived	0.690	17.53	N/A	Full	Full	3000
SAE 100R17 (Hydra Lite I)	A151-04	1/4	504-A-500	204-	2 Piece - Aluminum - Non-Skived	0.670	17.02	N/A	Full	Full	3000
SAE 100R17 (Hydra Lite I)	A151-04	1/4	N/A	204-1J	1J (2016 Ferrule)	0.655	16.64	N/A	27/32" (0.845)	Full	3000
SAE 100R17 (Hydra Lite I)	A151-04	1/4	N/A	204-KT	KT	0.565	14.35	N/A	1.28	Crimp to knurl	3000
Pressure Wash Hose	A184-04	1/4	604-200	204-	2 Piece - Aluminum - Skived	0.610	15.49	11/16"	Full	Full	3000
Pressure Wash Hose	A184-04	1/4	204-200	204-	2 Piece - Steel - Skived	0.620	15.75	11/16"	Full	Full	3000
Pressure Wash Hose	A184-04	1/4	504-A-500	204-	2 Piece - Aluminum - Non-Skived	0.670	17.02	N/A	Full	Full	3000
Pressure Wash Hose	A184-04	1/4	504-500	204-	2 Piece - Steel - Non-Skived	0.690	17.53	N/A	Full	Full	3000
Power Jack Hose	A320-04	1/4	N/A	204-1J	1J (2016 Ferrule)	0.690	17.53	N/A	27/32" (0.845)	Full	10000
SAE J1527 (Blu Finn Marine Fuel)	A360-05	1/4	N/A	205-1PR5	1PR5	0.630	16	N/A	Full	Crimp to knurl	700
DIN 20022-2SN (Hydra-Max)	A750-04	1/4	504-500	204-	2 Piece - Steel - Non-Skived	0.715	18.16	N/A	Full	Full	5500
SAE 100R5 (Cotton Cover- High Temp 1)	A803-05	1/4	N/A	205-1PR5	1PR5	0.585	14.86	N/A	0.85	Crimp to knurl	3000
BOP - FIRE-FLEX	A825-04	1/4	204-200	204-	2 Piece - Steel - Skived	0.645"	16.38		Full	Full	5000
SAE 100R3 (2 Textile Braid)	B003-04	1/4	204-200	204-	2 Piece - Steel - Non-Skived	0.680	17.27	N/A	Full	Full	1250
SAE 100R3 (2 Textile Braid)	B003-04	1/4	204-SS-200	704-SS-	2 Piece - Stainless - Non-Skived	0.662	16.81	N/A	Full	Full	1250
SAE 100R3 (2 Textile Braid)	B003-04	1/4	204-S16-200	204-S16	2 Piece - 316 Stainless - Non-Skived	0.662	16.81	N/A	Full	Full	1250
SAE 100R3 (2 Textile Braid)	B003-04	1/4	N/A	204-1J	1J (2016 Ferrule)	0.700	17.78	N/A	27/32" (0.845)	Full	1250
SAE 100R2AT (2 Wire Braid)	S102-04	1/4	504-SS-500	704-SS-	2 Piece - Stainless - Non-Skived	0.687	17.45	N/A	Full	Full	5800
SAE 100R2AT (2 Wire Braid)	S102-04	1/4	504-S16-500	204-S16	2 Piece - 316 Stainless - Non-Skived	0.687	17.45	N/A	Full	Full	5800
SAE 100R2AT (2 Wire Braid)	S102-04	1/4	504-500	204-	2 Piece - Steel - Non-Skived	0.690	17.53	N/A	Full	Full	5800
SAE 100R2AT (2 Wire Braid)	S102-04	1/4	N/A	204-1J	1J (2016 Ferrule)	0.690	17.53	N/A	27/32" (0.845)	Full	5800
SAE 100R2AT (2 Wire Braid)	S102-04	1/4	N/A	204-KT	KT	0.645	16.38	N/A	1.28	Crimp to knurl	5800
SAE 100R16 (Hydra Lite II)	S150-04	1/4	204-200	204-	2 Piece - Steel - Skived	0.645	16.38	11/16"	Full	Full	5800
SAE 100R16 (Hydra Lite II)	S150-04	1/4	604-200	204-	2 Piece - Aluminum - Skived	0.645	16.38	11/16"	Full	Full	5800
SAE 100R16 (Hydra Lite II)	S150-04	1/4	504-500	204-	2 Piece - Steel - Non-Skived	0.690	17.53	N/A	Full	Full	5800
SAE 100R16 (Hydra Lite II)	S150-04	1/4	504-A-500	204-	2 Piece - Aluminum - Non-Skived	0.690	17.53	N/A	Full	Full	5800
SAE 100R16 (Hydra Lite II)	S150-04	1/4	N/A	204-1J	1J (2016 Ferrule)	0.690	17.53	N/A	27/32" (0.845)	Full	5800
SAE 100R16 (Hydra Lite II)	S150-04	1/4	N/A	204-KT	KT	0.615	15.62	N/A	1.28	Crimp to knurl	5800
SAE 100R16 (Hydra Lite II)	S150-04UHMW	1/4	204-200	204-	2 Piece - Steel - Skived	0.645	16.38	11/16"	Full	Full	5800
SAE 100R16 (Hydra Lite II)	S150-04UHMW	1/4	604-200	204-	2 Piece - Aluminum - Skived	0.645	16.38	11/16"	Full	Full	5800
SAE 100R16 (Hydra Lite II)	S150-04UHMW	1/4	504-500	204-	2 Piece - Steel - Non-Skived	0.690	17.53	N/A	Full	Full	5800
SAE 100R16 (Hydra Lite II)	S150-04UHMW	1/4	504-A-500	204-	2 Piece - Aluminum - Non-Skived	0.690	17.53	N/A	Full	Full	5800
SAE 100R16 (Hydra Lite II)	S150-04UHMW	1/4	N/A	204-1J	1J (2016 Ferrule)	0.690	17.53	N/A	27/32" (0.845)	Full	5800
SAE 100R16 (Hydra Lite II)	S150-04UHMW	1/4	N/A	204-KT	KT	0.615	15.62	N/A	1.28	Crimp to knurl	5800
SAE 100R17 (Hydra Lite I)	S151-04	1/4	204-200	204-	2 Piece - Steel - Skived	0.620	15.75	11/16"	Full	Full	3000
SAE 100R17 (Hydra Lite I)	S151-04	1/4	604-200	204-	2 Piece - Aluminum - Skived	0.610	15.49	11/16"	Full	Full	3000
SAE 100R17 (Hydra Lite I)	S151-04	1/4	504-500	204-	2 Piece - Steel - Non-Skived	0.690	17.53	N/A	Full	Full	3000
SAE 100R17 (Hydra Lite I)	S151-04	1/4	504-A-500	204-	2 Piece - Aluminum - Non-Skived	0.670	17.02	N/A	Full	Full	3000
SAE 100R17 (Hydra Lite I)	S151-04	1/4	N/A	204-1J	1J (2016 Ferrule)	0.655	16.64	N/A	27/32" (0.845)	Full	3000
SAE 100R17 (Hydra Lite I)	S151-04	1/4	N/A	204-KT	KT	0.565	14.35	N/A	1.28	Crimp to knurl	3000
SAE 100R17 (Hydra Lite I)	S151-04UHMW	1/4	204-200	204-	2 Piece - Steel - Skived	0.620	15.75	11/16"	Full	Full	3000
SAE 100R17 (Hydra Lite I)	S151-04UHMW	1/4	604-200	204-	2 Piece - Aluminum - Skived	0.610	15.49	11/16"	Full	Full	3000
SAE 100R17 (Hydra Lite I)	S151-04UHMW	1/4	504-500	204-	2 Piece - Steel - Non-Skived	0.690	17.53	N/A	Full	Full	3000
SAE 100R17 (Hydra Lite I)	S151-04UHMW	1/4	504-A-500	204-	2 Piece - Aluminum - Non-Skived	0.670	17.02	N/A	Full	Full	3000
SAE 100R17 (Hydra Lite I)	S151-04UHMW	1/4	N/A	204-1J	1J (2016 Ferrule)	0.655	16.64	N/A	27/32" (0.845)	Full	3000
SAE 100R17 (Hydra Lite I)	S151-04UHMW	1/4	N/A	204-KT	KT	0.565	14.35	N/A	1.28	Crimp to knurl	3000
XF2SNK -DIN EN 857	XF2SNK-04	1/4	204-200	204-	2 Piece - Steel - Skived	0.632	16.05	0.75	Full	Full	6525
XF2SNK -DIN EN 857	XF2SNK-04	1/4	504-500	204-	2 Piece - Steel - Non-Skived	0.690	17.53	N/A	Full	Full	6525
XF2SNK -DIN EN 857	XF2SNK-04	1/4	N/A	204-1J	1J (2016 Ferrule)	0.690	17.53	N/A	Full	Full	6525
XF2SNK -DIN EN 857	XF2SNK-04UHMW	1/4	204-200	204-	2 Piece - Steel - Skived	0.632	16.05	0.75	Full	Full	6525
XF2SNK -DIN EN 857	XF2SNK-04UHMW	1/4	504-500	204-	2 Piece - Steel - Non-Skived	0.690	17.53	N/A	Full	Full	6525

XF2SNK -DIN EN 857	XF2SNK-04UHMW	1/4	N/A	204-1J	1J (2016 Ferrule)	0.690	17.53	N/A	Full	Full	6525
SAE 100R14 (P.T.F.E.)	6014-06	5/16	N/A	206-1PTF	1PTF	0.475	12.07	N/A	7/8"	Crimp to knurl	2540
SAE 100R5 (Cotton Cover)	A005-06	5/16	505-500	205-	2 Piece - Steel - Non-Skived	0.785	19.94	N/A	Full	Full	2250
SAE 100R5 (Cotton Cover)	A005-06	5/16	N/A	206-1PR5	1PR5	0.700	17.78	N/A	0.875	Crimp to knurl	2250
SAE 100R5 (Rubber Cover)	A055-06	5/16	505-500	205-	2 Piece - Steel - Non-Skived	0.785	19.94	N/A	Full	Full	2250
SAE 100R1AT (1 Wire Braid)	A101-05	5/16	505-500	205-	2 Piece - Steel - Non-Skived	0.770	19.56	N/A	Full	Full	2500
SAE 100R2AT (2 Wire Braid)	A102-05	5/16	505-500	205-	2 Piece - Steel - Non-Skived	0.815	20.7	N/A	Full	Full	5075
SAE J1527 (Blu Finn Marine Fuel)	A360-06	5/16	N/A	206-1PR5	1PR5	0.720	18.29	N/A	Full	Crimp to knurl	700
SAE 100R5 (Cotton Cover- High Temp 1)	A803-05	5/16	N/A	206-1PR5	1PR5	0.700	17.78	N/A	0.875	Crimp to knurl	3000
SAE 100R2AT (2 Wire Braid)	S102-05	5/16	505-500	205-	2 Piece - Steel - Non-Skived	0.815	20.7	N/A	Full	Full	5075
SAE 100R12 (4 Spiral)	1212-06	3/8	406-500	206-	2 Piece - Steel - Non-Skived	0.900	22.86	N/A	Full	Full	4000
SAE 100R12 (4 Spiral)	1212-06	3/8	208-200	206-	2 Piece - Steel - Skived	0.875	22.23	13/16"	Full	Full	4000
SAE 100R12 (4 Spiral)	1212-06	3/8	208-SS-200	206-	2 Piece - Stainless - Skived	0.883	22.43	13/16"	Full	Full	4000
SAE 100R12 (4 Spiral)	1212-06	3/8	208-S16-200	208-S16-	2 Piece - 316 Stainless - Skived	0.883	22.43	13/16"	Full	Full	4000
SAE 100R12 (4 Spiral)	1212-06	3/8	N/A	206-1J	1J (2016 Ferrule)	0.915	23.24	Skive as needed	27/32" (0.845)	Full	4000
SAE 100R12 (4 Spiral)	1312-06	3/8	406-500	206-	2 Piece - Steel - Non-Skived	0.900	22.86	N/A	Full	Full	4000
SAE 100R12 (4 Spiral)	1312-06	3/8	208-200	206-	2 Piece - Steel - Skived	0.875	22.23	13/16"	Full	Full	4000
SAE 100R12 (4 Spiral)	1312-06	3/8	208-SS-200	206-	2 Piece - Stainless - Skived	0.883	22.43	13/16"	Full	Full	4000
SAE 100R12 (4 Spiral)	1312-06	3/8	208-S16-200	208-S16-	2 Piece - 316 Stainless - Skived	0.883	22.43	13/16"	Full	Full	4000
SAE 100R12 (4 Spiral)	1312-06	3/8	N/A	206-1J	1J (2016 Ferrule)	0.915	23.24	Skive as needed	27/32" (0.845)	Full	4000
SAE 100R7 OBSOLETE	3107-06	3/8	N/A	206-1P	1P	0.700	17.78	N/A	13/16"	Crimp to knurl	2250
SAE 100R7 OBSOLETE	3107-06	3/8	N/A	206-KT	KT	0.720	18.29	N/A	1.43	Crimp to knurl	2250
SAE 100R7 (Thermoplastic)	3107N-06	3/8	N/A	206-R7	R7	0.700	17.78	N/A	1.42	Crimp to knurl	2250
SAE 100R8 OBSOLETE	3108-06	3/8	N/A	206-1P	1P	0.700	17.78	N/A	13/16"	Crimp to knurl	4000
SAE 100R8 OBSOLETE	3108-06	3/8	N/A	206-KT	KT	0.710	18.03	N/A	1.43	Crimp to knurl	4000
SAE 100R7 OBSOLETE	3207-06	3/8	N/A	206-1P	1P	0.700	17.78	N/A	13/16"	Crimp to knurl	2250
SAE 100R7 (Thermoplastic)	3207N-06	3/8	N/A	204-R7	R7	0.700	17.78	N/A	1.42	Crimp to knurl	2250
SAE 100R8 OBSOLETE	3208-06	3/8	N/A	206-1P	1P	0.700	17.78	N/A	13/16"	Crimp to knurl	4000
SAE 100R7 OBSOLETE	3307-06	3/8	N/A	206-1P	1P	0.700	17.78	N/A	13/16"	Crimp to knurl	2250
SAE 100R7 (Thermoplastic)	3307N-06	3/8	N/A	204-R7	R7	0.700	17.78	N/A	1.42	Crimp to knurl	2250
SAE 100R8 OBSOLETE	3308-06	3/8	N/A	206-1P	1P	0.700	17.78	N/A	13/16"	Crimp to knurl	4000
SAE 100R7 OBSOLETE	3407-06	3/8	N/A	206-1P	1P	0.700	17.78	N/A	13/16"	Crimp to knurl	2250
SAE 100R7 (Thermoplastic)	3407N-06	3/8	N/A	204-R7	R7	0.700	17.78	N/A	1.42	Crimp to knurl	2250
SAE 100R8 OBSOLETE	3408-06	3/8	N/A	206-1P	1P	0.700	17.78	N/A	13/16"	Crimp to knurl	4000
SAE 100R14 (P.T.F.E.)	6014-07	3/8	N/A	207-1PTF	1PTF	0.545	13.84	N/A	13/16"	Crimp to knurl	2390
SAE 100R5 (Cotton Cover)	A005-08	3/8	506-500	206-	2 Piece - Steel - Non-Skived	0.865	21.97	N/A	Full	Full	2000
SAE 100R5 (Cotton Cover)	A005-08	3/8	506-SS-500	706-SS	2 Piece - Stainless - Non-Skived	0.828	21.03	N/A	Full	Full	2000
SAE 100R5 (Cotton Cover)	A005-08	3/8	506-S16-500	206-S16	2 Piece - 316 Stainless - Non-Skived	0.828	21.03	N/A	Full	Full	2000
SAE 100R5 (Cotton Cover)	A005-08	3/8	N/A	206-1J	1J (2016 Ferrule)	0.860	21.84	N/A	27/32" (0.845)	Full	2000
SAE 100R5 (Rubber Cover)	A055-06	3/8	506-SS-500	708-SS	2 Piece - Stainless - Non-Skived	0.828	21.03	N/A	Full	Full	2250
SAE 100R5 (Rubber Cover)	A055-06	3/8	506-S16-500	206-S16	2 Piece - 316 Stainless - Non-Skived	0.828	21.03	N/A	Full	Full	2250
SAE 100R5 (Rubber Cover)	A055-08	3/8	506-500	206-	2 Piece - Steel - Non-Skived	0.865	21.97	N/A	Full	Full	2000
Pressure Wash Hose	A096-06	3/8	206-200	206-	2 Piece - Steel - Skived	0.740	18.8	3/4"	Full	Full	3000
Pressure Wash Hose	A098-06	3/8	506-500	206-	2 Piece - Steel - Non-Skived	0.830	21.08	N/A	Full	Full	3000
SAE 100R1AT (1 Wire Braid)	A101-06	3/8	506-500	206-	2 Piece - Steel - Non-Skived	0.850	21.59	N/A	Full	Full	2250
SAE 100R1AT (1 Wire Braid)	A101-06	3/8	506-SS-500	706-SS	2 Piece - Stainless - Non-Skived	0.828	21.03	N/A	Full	Full	2250
SAE 100R1AT (1 Wire Braid)	A101-06	3/8	506-S16-500	206-S16	2 Piece - 316 Stainless - Non-Skived	0.828	21.03	N/A	Full	Full	2250
SAE 100R1AT (1 Wire Braid)	A101-06	3/8	N/A	206-1J	1J (2016 Ferrule)	0.845	21.46	N/A	27/32" (0.845)	Full	2250
SAE 100R1AT (1 Wire Braid)	A101-06	3/8	N/A	206-KT	KT	0.750	19.05	N/A	1.43	Crimp to knurl	2250
SAE 100R2AT (2 Wire Braid)	A102-06	3/8	506-500	206-	2 Piece - Steel - Non-Skived	0.860	21.84	N/A	Full	Full	4800
SAE 100R2AT (2 Wire Braid)	A102-06	3/8	506-SS-500	706-SS	2 Piece - Stainless - Non-Skived	0.863	21.92	N/A	Full	Full	4800
SAE 100R2AT (2 Wire Braid)	A102-06	3/8	506-S16-500	206-S16	2 Piece - 316 Stainless - Non-Skived	0.863	21.92	N/A	Full	Full	4800
SAE 100R2AT (2 Wire Braid)	A102-06	3/8	N/A	206-1J	1J (2016 Ferrule)	0.870	22.1	N/A	27/32" (0.845)	Full	4800
SAE 100R2AT (2 Wire Braid)	A102-06	3/8	N/A	206-KT	KT	0.800	20.32	N/A	1.43	Crimp to knurl	4800
SAE 100R16 (Hydra Lite II)	A150-06	3/8	206-200	206-	2 Piece - Steel - Skived	0.780	19.81	3/4"	Full	Full	4800
SAE 100R16 (Hydra Lite II)	A150-06	3/8	606-200	206-	2 Piece - Aluminum - Skived	0.780	19.81	3/4"	Full	Full	4800
SAE 100R16 (Hydra Lite II)	A150-06	3/8	506-500	206-	2 Piece - Steel - Non-Skived	0.840	21.34	N/A	Full	Full	4800

SAE 100R16 (Hydra Lite II)	A150-06	3/8	506-A-500	206-	2 Piece - Aluminum - Non-Skived	0.840	21.34	N/A	Full	Full	4800
SAE 100R16 (Hydra Lite II)	A150-06	3/8	N/A	206-1J	1J (2016 Ferrule)	0.850	21.59	N/A	27/32" (0.845)	Full	4800
SAE 100R16 (Hydra Lite II)	A150-06	3/8	N/A	206-KT	KT	0.760	19.3	N/A	1.43	Crimp to knurl	4800
SAE 100R17 (Hydra Lite I)	A151-06	3/8	206-200	206-	2 Piece - Steel - Skived	0.745	18.92	3/4"	Full	Full	3000
SAE 100R17 (Hydra Lite I)	A151-06	3/8	606-200	206-	2 Piece - Aluminum - Skived	0.760	19.3	3/4"	Full	Full	3000
SAE 100R17 (Hydra Lite I)	A151-06	3/8	506-500	206-	2 Piece - Steel - Non-Skived	0.840	21.34	N/A	Full	Full	3000
SAE 100R17 (Hydra Lite I)	A151-06	3/8	506-A-500	206-	2 Piece - Aluminum - Non-Skived	0.840	21.34	N/A	Full	Full	3000
SAE 100R17 (Hydra Lite I)	A151-06	3/8	N/A	206-1J	1J (2016 Ferrule)	0.850	21.59	N/A	11/16"(0.688)	Full	3000
SAE 100R17 (Hydra Lite I)	A151-06	3/8	N/A	206-KT	KT	0.725	18.42	N/A	1.43	Crimp to knurl	3000
Pressure Wash Hose	A184-06	3/8	206-200	206-	2 Piece - Steel - Skived	0.745	18.92	3/4"	Full	Full	3000
Pressure Wash Hose	A184-06	3/8	606-200	206-	2 Piece - Aluminum - Skived	0.760	19.3	3/4"	Full	Full	3000
Pressure Wash Hose	A184-06	3/8	506-500	206-	2 Piece - Steel - Non-Skived	0.840	21.34	N/A	Full	Full	3000
Pressure Wash Hose	A184-06	3/8	506-A-500	206-	2 Piece - Aluminum - Non-Skived	0.840	21.34	N/A	Full	Full	3000
Power Jack Hose	A320-06	3/8	N/A	206-1J	1J (2016 Ferrule)	0.870	22.1	N/A	27/32" (0.845)	Full	10000
DIN 20222-2SN (Hydra-Max)	A750-06	3/8	506-500	206-	2 Piece - Steel - Non-Skived	0.860	21.84	N/A	Full	Full	5000
BOP - FIRE-FLEX	A822-06	3/8	206-200	206-	2 Piece - Steel - Skived	0.760"	19.3	0.750"	Full	Full	3000
BOP - FIRE-FLEX	A825-06	3/8	206-200	206-	2 Piece - Steel - Skived	0.760"	19.3	0.750"	Full	Full	5000
SAE 100R3 (2 Textile Braid)	B003-06	3/8	206-200	206-	2 Piece - Steel - Non-Skived	0.800	20.32	N/A	Full	Full	1125
SAE 100R3 (2 Textile Braid)	B003-06	3/8	206-SS-200	706-SS	2 Piece - Stainless - Non-Skived	0.773	19.63	N/A	Full	Full	1125
SAE 100R3 (2 Textile Braid)	B003-06	3/8	206-S16-200	206-S16	2 Piece - 316 Stainless - Non-Skived	0.773	19.63	N/A	Full	Full	1125
SAE 100R3 (2 Textile Braid)	B003-06	3/8	N/A	206-1J	1J (2016 Ferrule)	0.880	22.35	N/A	27/32" (0.845)	Full	1125
SAE 100R2AT (2 Wire Braid)	S102-06	3/8	506-500	206-	2 Piece - Steel - Non-Skived	0.860	21.84	N/A	Full	Full	4800
SAE 100R2AT (2 Wire Braid)	S102-06	3/8	506-SS-500	706-SS	2 Piece - Stainless - Non-Skived	0.863	21.92	N/A	Full	Full	4800
SAE 100R2AT (2 Wire Braid)	S102-06	3/8	506-S16-500	206-S16	2 Piece - 316 Stainless - Non-Skived	0.863	21.92	N/A	Full	Full	4800
SAE 100R2AT (2 Wire Braid)	S102-06	3/8	N/A	206-1J	1J (2016 Ferrule)	0.870	22.1	N/A	27/32" (0.845)	Full	4800
SAE 100R2AT (2 Wire Braid)	S102-06	3/8	N/A	206-KT	KT	0.800	20.32	N/A	1.43	Crimp to knurl	4800
SAE 100R16 (Hydra Lite II)	S150-06	3/8	206-200	206-	2 Piece - Steel - Skived	0.780	19.81	3/4"	Full	Full	4800
SAE 100R16 (Hydra Lite II)	S150-06	3/8	606-200	206-	2 Piece - Aluminum - Skived	0.780	19.81	3/4"	Full	Full	4800
SAE 100R16 (Hydra Lite II)	S150-06	3/8	506-500	206-	2 Piece - Steel - Non-Skived	0.840	21.34	N/A	Full	Full	4800
SAE 100R16 (Hydra Lite II)	S150-06	3/8	506-A-500	206-	2 Piece - Aluminum - Non-Skived	0.840	21.34	N/A	Full	Full	4800
SAE 100R16 (Hydra Lite II)	S150-06	3/8	N/A	206-1J	1J (2016 Ferrule)	0.850	21.59	N/A	27/32" (0.845)	Full	4800
SAE 100R16 (Hydra Lite II)	S150-06	3/8	N/A	206-KT	KT	0.760	19.3	N/A	1.43	Crimp to knurl	4800
SAE 100R16 (Hydra Lite II)	S150-06UHMW	3/8	206-200	206-	2 Piece - Steel - Skived	0.780	19.81	3/4"	Full	Full	4800
SAE 100R16 (Hydra Lite II)	S150-06UHMW	3/8	606-200	206-	2 Piece - Aluminum - Skived	0.780	19.81	3/4"	Full	Full	4800
SAE 100R16 (Hydra Lite II)	S150-06UHMW	3/8	506-500	206-	2 Piece - Steel - Non-Skived	0.840	21.34	N/A	Full	Full	4800
SAE 100R16 (Hydra Lite II)	S150-06UHMW	3/8	506-A-500	206-	2 Piece - Aluminum - Non-Skived	0.840	21.34	N/A	Full	Full	4800
SAE 100R16 (Hydra Lite II)	S150-06UHMW	3/8	N/A	206-1J	1J (2016 Ferrule)	0.850	21.59	N/A	27/32" (0.845)	Full	4800
SAE 100R16 (Hydra Lite II)	S150-06UHMW	3/8	N/A	206-KT	KT	0.760	19.3	N/A	1.43	Crimp to knurl	4800
SAE 100R17 (Hydra Lite I)	S151-06	3/8	206-200	206-	2 Piece - Steel - Skived	0.745	18.92	3/4"	Full	Full	3000
SAE 100R17 (Hydra Lite I)	S151-06	3/8	606-200	206-	2 Piece - Aluminum - Skived	0.760	19.3	3/4"	Full	Full	3000
SAE 100R17 (Hydra Lite I)	S151-06	3/8	506-500	206-	2 Piece - Steel - Non-Skived	0.840	21.34	N/A	Full	Full	3000
SAE 100R17 (Hydra Lite I)	S151-06	3/8	506-A-500	206-	2 Piece - Aluminum - Non-Skived	0.840	21.34	N/A	Full	Full	3000
SAE 100R17 (Hydra Lite I)	S151-06	3/8	N/A	206-1J	1J (2016 Ferrule)	0.850	21.59	N/A	11/16"(0.688)	Full	3000
SAE 100R17 (Hydra Lite I)	S151-06	3/8	N/A	206-KT	KT	0.725	18.42	N/A	1.43	Crimp to knurl	3000
SAE 100R17 (Hydra Lite I)	S151-06UHMW	3/8	206-200	206-	2 Piece - Steel - Skived	0.745	18.92	3/4"	Full	Full	3000
SAE 100R17 (Hydra Lite I)	S151-06UHMW	3/8	606-200	206-	2 Piece - Aluminum - Skived	0.760	19.3	3/4"	Full	Full	3000
SAE 100R17 (Hydra Lite I)	S151-06UHMW	3/8	506-500	206-	2 Piece - Steel - Non-Skived	0.840	21.34	N/A	Full	Full	3000
SAE 100R17 (Hydra Lite I)	S151-06UHMW	3/8	506-A-500	206-	2 Piece - Aluminum - Non-Skived	0.840	21.34	N/A	Full	Full	3000
SAE 100R17 (Hydra Lite I)	S151-06UHMW	3/8	N/A	206-1J	1J (2016 Ferrule)	0.850	21.59	N/A	11/16"(0.688)	Full	3000
SAE 100R17 (Hydra Lite I)	S151-06UHMW	3/8	N/A	206-KT	KT	0.725	18.42	N/A	1.43	Crimp to knurl	3000
Pressure Wash Hose	S493-06	3/8	506-500	206-	2 Piece - Steel - Non-Skived	0.825	20.96	N/A	Full	Full	4000
Pressure Wash Hose	S493-06	3/8	N/A	206-1J	1J (2016 Ferrule)	0.845	21.46	N/A	27/32" (0.845)	Full	4000
Pressure Wash Hose	S498-06	3/8	506-500	206-	2 Piece - Steel - Non-Skived	0.825	20.96	N/A	Full	Full	4000
Pressure Wash Hose	S498-06	3/8	N/A	206-1J	1J (2016 Ferrule)	0.845	21.46	N/A	27/32" (0.845)	Full	4000
Pressure Wash Hose	S693-06	3/8	506-500	206-	2 Piece - Steel - Non-Skived	0.840	21.34	N/A	Full	Full	6000
Pressure Wash Hose	S693-06	3/8	N/A	206-1J	1J (2016 Ferrule)	0.855	21.72	N/A	27/32" (0.845)	Full	6000
Pressure Wash Hose	S698-06	3/8	506-500	206-	2 Piece - Steel - Non-Skived	0.840	21.34	N/A	Full	Full	6000

Pressure Wash Hose	S698-06	3/8	N/A	206-1J	1J (2016 Ferrule)	0.855	21.72	N/A	27/32" (0.845)	Full	6000
XF2SNK -DIN EN 857	XF2SNK-06	3/8	206-200	206-	2 Piece - Steel - Skived	0.755	19.18	0.75	Full	Full	5582
XF2SNK -DIN EN 857	XF2SNK-06	3/8	506-500	206-	2 Piece - Steel - Non-Skived	0.840	21.34	N/A	Full	Full	5582
XF2SNK -DIN EN 857	XF2SNK-06	3/8	N/A	206-1J	1J (2016 Ferrule)	0.850	21.59	N/A	Full	Full	5582
XF2SNK -DIN EN 857	XF2SNK-06UHMW	3/8	206-200	206-	2 Piece - Steel - Skived	0.755	19.18	0.75	Full	Full	5582
XF2SNK -DIN EN 857	XF2SNK-06UHMW	3/8	506-500	206-	2 Piece - Steel - Non-Skived	0.840	21.34	N/A	Full	Full	5582
XF2SNK -DIN EN 857	XF2SNK-06UHMW	3/8	N/A	206-1J	1J (2016 Ferrule)	0.850	21.59	N/A	Full	Full	5582
SAE 100R14 (P.T.F.E.)	6014-08	13/32	N/A	208-1PTF	1PTF	0.575	14.61	N/A	13/16"	Crimp to knurl	2030
SAE 100R5 (Cotton Cover)	A005-08	13/32	N/A	208-1PR5	1PR5	0.820	20.83	N/A	1.05	Crimp to knurl	2000
SAE J1527 (Blu Finn Marine Fuel)	A360-08	13/32	N/A	208-1PR5	1PR5	0.830	21.08	N/A	Full	Crimp to knurl	700
SAE 100R5 (Cotton Cover- High Temp 1)	A803-08	13/32	N/A	208-1PR5	1PR5	0.820	20.83	N/A	1.05	Crimp to knurl	2000
SAE 100R15 (6 Spiral)	1211-08	1/2	N/A	608-1W	1W	1.155	29.34	1 3/16"	Full	Full	6000
SAE 100R12 (4 Spiral)	1212-08	1/2	N/A	608-1W	1W	1.120	28.45	N/A	Full	Full	4000
SAE 100R12 (4 Spiral)	1212-08	1/2	408-500	208-	2 Piece - Steel - Non-Skived	1.125	28.58	N/A	Full	Full	4000
SAE 100R12 (4 Spiral)	1212-08	1/2	408-400	208-	2 Piece - Steel - Skived	1.070	27.18	1 1/8"	Full	Full	4000
SAE 100R12 (4 Spiral)	1212-08	1/2	408-SS-400	208-	2 Piece - Stainless - Skived	1.033	26.24	1 1/8"	Full	Full	4000
SAE 100R12 (4 Spiral)	1212-08	1/2	408-S16-400	408-S16-	2 Piece - 316 Stainless - Skived	1.033	26.24	1 1/8"	Full	Full	4000
SAE 100R12 (4 Spiral)	1312-08	1/2	N/A	608-1W	1W	1.120	28.45	N/A	Full	Full	4000
SAE 100R12 (4 Spiral)	1312-08	1/2	408-500	208-	2 Piece - Steel - Non-Skived	1.125	28.58	N/A	Full	Full	4000
SAE 100R12 (4 Spiral)	1312-08	1/2	408-400	208-	2 Piece - Steel - Skived	1.070	27.18	1 1/8"	Full	Full	4000
SAE 100R12 (4 Spiral)	1312-08	1/2	408-SS-400	208-	2 Piece - Stainless - Skived	1.033	26.24	1 1/8"	Full	Full	4000
SAE 100R12 (4 Spiral)	1312-08	1/2	408-S16-400	408-S16-	2 Piece - 316 Stainless - Skived	1.033	26.24	1 1/8"	Full	Full	4000
EN 856 4SH (4 Spiral)	1312-08SH	1/2	N/A	608-1W	1W	1.120	28.45	N/A	Full	Full	6000
EN 856 4SH (4 Spiral)	1312-08SP	1/2	N/A	608-1W	1W	1.120	28.45	N/A	Full	Full	6000
SAE 100R7 OBSOLETE	3107-08	1/2	N/A	208-1P	1P	0.850	21.59	N/A	1 1/16"	Crimp to knurl	2050
SAE 100R7 OBSOLETE	3107-08	1/2	N/A	208-KT	KT	0.870	22.1	N/A	1.5	Crimp to knurl	2050
SAE 100R7 (Thermoplastic)	3107N-08	1/2	N/A	208-R7	R7	0.850	21.59	N/A	1.5	Crimp to knurl	2050
SAE 100R8 OBSOLETE	3108-08	1/2	N/A	208-1P	1P	0.860	21.84	N/A	1 1/16"	Crimp to knurl	3500
SAE 100R8 OBSOLETE	3108-08	1/2	N/A	208-KT	KT	0.860	21.84	N/A	1.5	Crimp to knurl	3500
SAE 100R7 OBSOLETE	3207-08	1/2	N/A	208-1P	1P	0.850	21.59	N/A	1 1/16"	Crimp to knurl	2050
SAE 100R7 (Thermoplastic)	3207N-08	1/2	N/A	204-R7	R7	0.850	21.59	N/A	1.5	Crimp to knurl	2050
SAE 100R8 OBSOLETE	3208-08	1/2	N/A	208-1P	1P	0.860	21.84	N/A	1 1/16"	Crimp to knurl	3500
SAE 100R7 OBSOLETE	3307-08	1/2	N/A	208-1P	1P	0.850	21.59	N/A	1 1/16"	Crimp to knurl	2050
SAE 100R8 OBSOLETE	3308-08	1/2	N/A	208-1P	1P	0.860	21.84	N/A	1 1/16"	Crimp to knurl	3500
SAE 100R7 OBSOLETE	3407-08	1/2	N/A	208-1P	1P	0.850	21.59	N/A	1 1/16"	Crimp to knurl	2050
SAE 100R7 (Thermoplastic)	3407N-08	1/2	N/A	204-R7	R7	0.850	21.59	N/A	1.5	Crimp to knurl	2050
SAE 100R8 OBSOLETE	3408-08	1/2	N/A	208-1P	1P	0.860	21.84	N/A	1 1/16"	Crimp to knurl	3500
SAE 100R14 (P.T.F.E.)	6014-10	1/2	N/A	210-1PTF	1PTF	0.695	17.65	N/A	15/16"	Crimp to knurl	1740
SAE 100R5 (Cotton Cover)	A005-10	1/2	508-R5-500	208-	2 Piece - Steel - Non-Skived	0.965	24.51	N/A	Full	Full	1750
SAE 100R5 (Cotton Cover)	A005-10	1/2	508-SS-500	708-SS-	2 Piece - Stainless - Non-Skived	0.933	23.7	N/A	Full	Full	1750
SAE 100R5 (Cotton Cover)	A005-10	1/2	508-S16-500	208-S16	2 Piece - 316 Stainless - Non-Skived	0.933	23.7	N/A	Full	Full	1750
SAE 100R5 (Cotton Cover)	A005-10	1/2	N/A	208-1P	1P	0.925	23.5	N/A	Full	Crimp to knurl	1750
SAE 100R5 (Cotton Cover)	A005-10	1/2	N/A	208-1J	1J (2016 Ferrule)	0.950	24.13	N/A	1 3/32" (1.100)	Full	1750
SAE 100R5 (Cotton Cover)	A005-10	1/2	N/A	210-1PR5	1PR5	0.960	24.38	N/A	1.1	Crimp to knurl	1750
SAE 100R5 (Rubber Cover)	A055-08	1/2	508-SS-500	412-SS-	2 Piece - Stainless - Non-Skived	0.933	23.7	N/A	Full	Full	2000
SAE 100R5 (Rubber Cover)	A055-08	1/2	508-S16-500	208-S16	2 Piece - 316 Stainless - Non-Skived	0.933	23.7	N/A	Full	Full	2000
SAE 100R5 (Rubber Cover)	A055-10	1/2	508-R5-500	208-	2 Piece - Steel - Non-Skived	0.965	24.51	N/A	Full	Full	1750
SAE 100R5 (Rubber Cover)	A055-10	1/2	N/A	208-1P	1P	0.925	23.5	N/A	Full	Crimp to knurl	1750
Pressure Wash Hose	A096-08	1/2	208-200	208-	2 Piece - Steel - Skived	0.905	22.99	13/16"	Full	Full	3000
Pressure Wash Hose	A098-08	1/2	508-500	208-	2 Piece - Steel - Non-Skived	0.970	24.64	N/A	Full	Full	3000
SAE 100R1AT (1 Wire Braid)	A101-08	1/2	508-500	208-	2 Piece - Steel - Non-Skived	0.970	24.64	N/A	Full	Full	2000
SAE 100R1AT (1 Wire Braid)	A101-08	1/2	508-SS-500	708-SS-	2 Piece - Stainless - Non-Skived	0.933	23.7	N/A	Full	Full	2000
SAE 100R1AT (1 Wire Braid)	A101-08	1/2	508-S16-500	208-S16	2 Piece - 316 Stainless - Non-Skived	0.933	23.7	N/A	Full	Full	2000
SAE 100R1AT (1 Wire Braid)	A101-08	1/2	N/A	208-1J	1J (2016 Ferrule)	0.950	24.13	N/A	1 3/32" (1.100)	Full	2000
SAE 100R1AT (1 Wire Braid)	A101-08	1/2	N/A	208-KT	KT	0.860	21.84	N/A	1.5	Crimp to knurl	2000
SAE 100R2AT (2 Wire Braid)	A102-08	1/2	N/A	608-1W	1W	1.100	27.94	N/A	Full	Full	4000
SAE 100R2AT (2 Wire Braid)	A102-08	1/2	508-500	208-	2 Piece - Steel - Non-Skived	0.965	24.51	N/A	Full	Full	4000

SAE 100R2AT (2 Wire Braid)	A102-08	1/2	508-SS-500	708-SS-	2 Piece - Stainless - Non-Skived	0.973	24.71	N/A	Full	Full	4000
SAE 100R2AT (2 Wire Braid)	A102-08	1/2	508-S16-500	208-S16	2 Piece - 316 Stainless - Non-Skived	0.973	24.71	N/A	Full	Full	4000
SAE 100R2AT (2 Wire Braid)	A102-08	1/2	N/A	208-1J	1J (2016 Ferrule)	0.990	25.15	N/A	1 3/32" (1.100)	Full	4000
SAE 100R2AT (2 Wire Braid)	A102-08	1/2	N/A	208-KT	KT	0.910	23.11	N/A	1.5	Crimp to knurl	4000
SAE 100R16 (Hydra Lite II)	A150-08	1/2	208-200	208-	2 Piece - Steel - Skived	0.970	24.64	13/16"	Full	Full	4000
SAE 100R16 (Hydra Lite II)	A150-08	1/2	608-200	208-	2 Piece - Aluminum - Skived	0.970	24.64	13/16"	Full	Full	4000
SAE 100R16 (Hydra Lite II)	A150-08	1/2	N/A	608-1W	1W	1.100	27.94	N/A	Full	Full	4000
SAE 100R16 (Hydra Lite II)	A150-08	1/2	508-500	208-	2 Piece - Steel - Non-Skived	0.965	24.51	N/A	Full	Full	4000
SAE 100R16 (Hydra Lite II)	A150-08	1/2	508-A-500	208-	2 Piece - Aluminum - Non-Skived	1.000	25.4	N/A	Full	Full	4000
SAE 100R16 (Hydra Lite II)	A150-08	1/2	N/A	208-1J	1J (2016 Ferrule)	0.985	25.02	N/A	1 3/32" (1.100)	Full	4000
SAE 100R16 (Hydra Lite II)	A150-08	1/2	N/A	208-KT	KT	0.880	22.35	N/A	1.5	Crimp to knurl	4000
SAE 100R17 (Hydra Lite I)	A151-08	1/2	208-200	208-	2 Piece - Steel - Skived	0.945	24	13/16"	Full	Full	3000
SAE 100R17 (Hydra Lite I)	A151-08	1/2	608-200	208-	2 Piece - Aluminum - Skived	0.935	23.75	13/16"	Full	Full	3000
SAE 100R17 (Hydra Lite I)	A151-08	1/2	508-500	208-	2 Piece - Steel - Non-Skived	0.950	24.13	N/A	Full	Full	3000
SAE 100R17 (Hydra Lite I)	A151-08	1/2	508-A-500	208-	2 Piece - Aluminum - Non-Skived	0.970	24.64	N/A	Full	Full	3000
SAE 100R17 (Hydra Lite I)	A151-08	1/2	N/A	208-1J	1J (2016 Ferrule)	0.935	23.75	N/A	1 3/32" (1.100)	Full	3000
SAE 100R17 (Hydra Lite I)	A151-08	1/2	N/A	208-KT	KT	0.840	21.34	N/A	1.5	Crimp to knurl	3000
Pressure Wash Hose	A184-08	1/2	608-200	208-	2 Piece - Aluminum - Skived	0.935	23.75	13/16"	Full	Full	3000
Pressure Wash Hose	A184-08	1/2	208-200	208-	2 Piece - Steel - Skived	0.945	24	13/16"	Full	Full	3000
Pressure Wash Hose	A184-08	1/2	508-A-500	208-	2 Piece - Aluminum - Non-Skived	0.970	24.64	N/A	Full	Full	3000
Pressure Wash Hose	A184-08	1/2	508-500	208-	2 Piece - Steel - Non-Skived	0.950	24.13	N/A	Full	Full	3000
SAE J1527 (Blu Finn Marine Fuel)	A360-10	1/2	N/A	210-1PR5	1PR5	0.985	25.02	N/A	Full	Crimp to knurl	700
DIN 20022-2SN (Hydra-Max)	A750-08	1/2	N/A	608-1W	1W	1.100	27.94	N/A	Full	Full	5000
DIN 20022-2SN (Hydra-Max)	A750-08	1/2	508-500	208-	2 Piece - Steel - Non-Skived	0.980	24.89	N/A	Full	Full	5000
SAE 100R5 (Cotton Cover- High Temp 1)	A803-10	1/2	N/A	210-1PR5	1PR5	0.960	24.38	N/A	1.1	Crimp to knurl	1750
BOP - FIRE-FLEX	A822-08	1/2	208-200	208-	2 Piece - Steel - Skived	0.975"	24.77	0.810"			3000
BOP - FIRE-FLEX	A825-08	1/2	208-200	208-	2 Piece - Steel - Skived	0.975"	24.77	0.810"			5000
SAE 100R3 (2 Textile Braid)	B003-08	1/2	208-200	208-	2 Piece - Steel - Skived	0.980	24.89	13/16"	Full	Full	1000
SAE 100R3 (2 Textile Braid)	B003-08	1/2	208-SS-200	208-	2 Piece - Stainless - Skived	0.983	24.97	13/16"	Full	Full	1000
SAE 100R3 (2 Textile Braid)	B003-08	1/2	208-S16-200	208-S16-	2 Piece - 316 Stainless - Skived	0.983	24.97	13/16"	Full	Full	1000
SAE 100R3 (2 Textile Braid)	B003-08	1/2	N/A	208-1J	1J (2016 Ferrule)	1.020	25.91	N/A	1 3/32" (1.100)	Full	1000
SAE 100R2AT (2 Wire Braid)	S102-08	1/2	N/A	608-1W	1W	1.100	27.94	N/A	Full	Full	4000
SAE 100R2AT (2 Wire Braid)	S102-08	1/2	508-500	208-	2 Piece - Steel - Non-Skived	0.965	24.51	N/A	Full	Full	4000
SAE 100R2AT (2 Wire Braid)	S102-08	1/2	508-SS-500	708-SS-	2 Piece - Stainless - Non-Skived	0.973	24.71	N/A	Full	Full	4000
SAE 100R2AT (2 Wire Braid)	S102-08	1/2	508-S16-500	208-S16	2 Piece - 316 Stainless - Non-Skived	0.973	24.71	N/A	Full	Full	4000
SAE 100R2AT (2 Wire Braid)	S102-08	1/2	N/A	208-1J	1J (2016 Ferrule)	0.990	25.15	N/A	1 3/32" (1.100)	Full	4000
SAE 100R2AT (2 Wire Braid)	S102-08	1/2	N/A	208-KT	KT	0.910	23.11	N/A	1.5	Crimp to knurl	4000
SAE 100R16 (Hydra Lite II)	S150-08	1/2	208-200	208-	2 Piece - Steel - Skived	0.970	24.64	13/16"	Full	Full	4000
SAE 100R16 (Hydra Lite II)	S150-08	1/2	608-200	208-	2 Piece - Aluminum - Skived	0.970	24.64	13/16"	Full	Full	4000
SAE 100R16 (Hydra Lite II)	S150-08	1/2	N/A	608-1W	1W	1.100	27.94	N/A	Full	Full	4000
SAE 100R16 (Hydra Lite II)	S150-08	1/2	508-500	208-	2 Piece - Steel - Non-Skived	0.965	24.51	N/A	Full	Full	4000
SAE 100R16 (Hydra Lite II)	S150-08	1/2	508-A-500	208-	2 Piece - Aluminum - Non-Skived	1.000	25.4	N/A	Full	Full	4000
SAE 100R16 (Hydra Lite II)	S150-08	1/2	N/A	208-1J	1J (2016 Ferrule)	0.985	25.02	N/A	1 3/32" (1.100)	Full	4000
SAE 100R16 (Hydra Lite II)	S150-08	1/2	N/A	208-KT	KT	0.880	22.35	N/A	1.5	Crimp to knurl	4000
SAE 100R16 (Hydra Lite II)	S150-08UHMW	1/2	208-200	208-	2 Piece - Steel - Skived	0.970	24.64	13/16"	Full	Full	4000
SAE 100R16 (Hydra Lite II)	S150-08UHMW	1/2	608-200	208-	2 Piece - Aluminum - Skived	0.970	24.64	13/16"	Full	Full	4000
SAE 100R16 (Hydra Lite II)	S150-08UHMW	1/2	N/A	608-1W	1W	1.100	27.94	N/A	Full	Full	4000
SAE 100R16 (Hydra Lite II)	S150-08UHMW	1/2	508-500	208-	2 Piece - Steel - Non-Skived	0.965	24.51	N/A	Full	Full	4000
SAE 100R16 (Hydra Lite II)	S150-08UHMW	1/2	508-A-500	208-	2 Piece - Aluminum - Non-Skived	1.000	25.4	N/A	Full	Full	4000
SAE 100R16 (Hydra Lite II)	S150-08UHMW	1/2	N/A	208-1J	1J (2016 Ferrule)	0.985	25.02	N/A	1 3/32" (1.100)	Full	4000
SAE 100R16 (Hydra Lite II)	S150-08UHMW	1/2	N/A	208-KT	KT	0.880	22.35	N/A	1.5	Crimp to knurl	4000
SAE 100R17 (Hydra Lite I)	S151-08	1/2	208-200	208-	2 Piece - Steel - Skived	0.945	24	13/16"	Full	Full	3000
SAE 100R17 (Hydra Lite I)	S151-08	1/2	608-200	208-	2 Piece - Aluminum - Skived	0.935	23.75	13/16"	Full	Full	3000
SAE 100R17 (Hydra Lite I)	S151-08	1/2	508-500	208-	2 Piece - Steel - Non-Skived	0.950	24.13	N/A	Full	Full	3000
SAE 100R17 (Hydra Lite I)	S151-08	1/2	508-A-500	208-	2 Piece - Aluminum - Non-Skived	0.970	24.64	N/A	Full	Full	3000
SAE 100R17 (Hydra Lite I)	S151-08	1/2	N/A	208-1J	1J (2016 Ferrule)	0.935	23.75	N/A	1 3/32" (1.100)	Full	3000
SAE 100R17 (Hydra Lite I)	S151-08	1/2	N/A	208-KT	KT	0.840	21.34	N/A	1.5	Crimp to knurl	3000

SAE 100R17 (Hydra Lite I)	S151-08UHMW	1/2	208-200	208-	2 Piece - Steel - Skived	0.945	24	13/16"	Full	Full	3000
SAE 100R17 (Hydra Lite I)	S151-08UHMW	1/2	608-200	208-	2 Piece - Aluminum - Skived	0.935	23.75	13/16"	Full	Full	3000
SAE 100R17 (Hydra Lite I)	S151-08UHMW	1/2	508-500	208-	2 Piece - Steel - Non-Skived	0.950	24.13	N/A	Full	Full	3000
SAE 100R17 (Hydra Lite I)	S151-08UHMW	1/2	508-A-500	208-	2 Piece - Aluminum - Non-Skived	0.970	24.64	N/A	Full	Full	3000
SAE 100R17 (Hydra Lite I)	S151-08UHMW	1/2	N/A	208-1J	1J (2016 Ferrule)	0.935	23.75	N/A	1 3/32" (1.100)	Full	3000
SAE 100R17 (Hydra Lite I)	S151-08UHMW	1/2	N/A	208-KT	KT	0.840	21.34	N/A	1.5	Crimp to knurl	3000
XF2SNK -DIN EN 857	XF2SNK-08	1/2	208-200	208-	2 Piece - Steel - Skived	0.980	24.89	15/16	Full	Full	5002
XF2SNK -DIN EN 857	XF2SNK-08	1/2	508-500	208-	2 Piece - Steel - Non-Skived	0.965	24.51	N/A	Full	Full	5002
XF2SNK -DIN EN 857	XF2SNK-08	1/2	N/A	208-1J	1J (2016 Ferrule)	0.985	25.02	N/A	Full	Full	5002
XF2SNK -DIN EN 857	XF2SNK-08UHMW	1/2	208-200	208-	2 Piece - Steel - Skived	0.980	24.89	15/16	Full	Full	5002
XF2SNK -DIN EN 857	XF2SNK-08UHMW	1/2	508-500	208-	2 Piece - Steel - Non-Skived	0.965	24.51	N/A	Full	Full	5002
XF2SNK -DIN EN 857	XF2SNK-08UHMW	1/2	N/A	208-1J	1J (2016 Ferrule)	0.985	25.02	N/A	Full	Full	5002
SAE 100R12 (4 Spiral)	1212-10	5/8	N/A	610-1W	1W	1.230	31.24	N/A	1 27/64"	Full	4000
SAE 100R12 (4 Spiral)	1212-10	5/8	410-400	210-	2 Piece - Steel - Skived	1.200	30.48	1 1/16"	Full	Full	4000
SAE 100R12 (4 Spiral)	1312-10	5/8	N/A	610-1W	1W	1.230	31.24	N/A	1 27/64"	Full	4000
SAE 100R12 (4 Spiral)	1312-10	5/8	410-400	210-	2 Piece - Steel - Skived	1.200	30.48	1 1/16"	Full	Full	4000
EN 856 4SH (4 Spiral)	1312-10SH	5/8	N/A	610-1Y	1Y	1.245"	31.62	N/A	1.420"	Full	5076
SAE 100R14 (P.T.F.E.)	6014-12	5/8	N/A	212-1PTF	1PTF	0.810	20.57	N/A	15/16"	Crimp to knurl	1270
SAE 100R5 (Cotton Cover)	A005-12	5/8	510-500	210-	2 Piece - Steel - Non-Skived	1.100	27.94	N/A	Full	Full	1500
SAE 100R5 (Cotton Cover)	A005-12	5/8	N/A	212-1PR5	1PR5	1.080	27.43	N/A	1 5/32"	Crimp to knurl	1500
SAE 100R5 (Cotton Cover)	A005-12	5/8	N/A	210-1J	1J (2016 Ferrule)	1.105	28.07	N/A	1 3/32" (1.100)	Full	1500
SAE 100R5 (Rubber Cover)	A055-12	5/8	510-500	210-	2 Piece - Steel - Non-Skived	1.100	27.94	N/A	Full	Full	1500
SAE 100R1AT (1 Wire Braid)	A101-10	5/8	510-500	210-	2 Piece - Steel - Non-Skived	1.100	27.94	N/A	Full	Full	1500
SAE 100R1AT (1 Wire Braid)	A101-10	5/8	N/A	210-1J	1J (2016 Ferrule)	1.065	27.05	N/A	1 3/32" (1.100)	Full	1500
SAE 100R1AT (1 Wire Braid)	A101-10	5/8	N/A	210-KT	KT	1.000	25.4	N/A	1.5	Crimp to knurl	1500
SAE 100R2AT (2 Wire Braid)	A102-10	5/8	N/A	610-1W	1W	1.180	29.97	N/A	1 27/64"	Full	3625
SAE 100R2AT (2 Wire Braid)	A102-10	5/8	510-500	210-	2 Piece - Steel - Non-Skived	1.105	28.067	N/A	Full	Full	3625
SAE 100R2AT (2 Wire Braid)	A102-10	5/8	N/A	210-1J	1J (2016 Ferrule)	1.105	28.07	N/A	1 3/32" (1.100)	Full	3625
SAE 100R2AT (2 Wire Braid)	A102-10	5/8	N/A	210-KT	KT	1.050	26.67	N/A	1.5	Crimp to knurl	3625
SAE 100R16 (Hydra Lite II)	A150-10	5/8	510-500	210-	2 Piece - Steel - Non-Skived	1.105	28.07	N/A	Full	Full	3625
SAE 100R16 (Hydra Lite II)	A150-10	5/8	N/A	610-1W	1W	1.180	29.97	N/A	1 27/64"	Full	3625
SAE 100R16 (Hydra Lite II)	A150-10	5/8	N/A	210-1J	1J (2016 Ferrule)	1.105	28.07	N/A	1 3/32" (1.100)	Full	3625
SAE 100R16 (Hydra Lite II)	A150-10	5/8	N/A	210-KT	KT	1.010	25.65	N/A	1.5	Crimp to knurl	3625
SAE 100R17 (Hydra Lite I)	A151-10	5/8	510-500	210-	2 Piece - Steel - Non-Skived	1.125	28.58	N/A	Full	Full	3000
SAE 100R17 (Hydra Lite I)	A151-10	5/8	N/A	610-1W	1W	1.180	29.97	N/A	1 27/64"	Full	3000
SAE 100R17 (Hydra Lite I)	A151-10	5/8	N/A	210-1J	1J (2016 Ferrule)	1.105	28.07	N/A	1 3/32" (1.100)	Full	3000
SAE 100R17 (Hydra Lite I)	A151-10	5/8	N/A	210-KT	KT	0.995	25.27	N/A	1.5	Crimp to knurl	3000
SAE J1527 (Blu Finn Marine Fuel)	A360-12	5/8	N/A	212-1PR5	1PR5	1.100	27.94	N/A	Full	Crimp to knurl	700
DIN 20022-2SN (Hydra-Max)	A750-10	5/8	510-500	210-	2 Piece - Steel - Non-Skived	1.125	28.58	N/A	Full	Full	3500
DIN 20022-2SN (Hydra-Max)	A750-10	5/8	N/A	610-1W	1W	1.180	29.97	N/A	1 27/64"	Full	3500
SAE 100R5 (Cotton Cover- High Temp 1)	A803-12	5/8	N/A	212-1PR5	1PR5	1.080	27.43	N/A	1 5/32"	Crimp to knurl	1500
SAE 100R2AT (2 Wire Braid)	S102-10	5/8	N/A	610-1W	1W	1.180	29.97	N/A	1 27/64"	Full	3625
SAE 100R2AT (2 Wire Braid)	S102-10	5/8	510-500	210-	2 Piece - Steel - Non-Skived	1.105	28.067	N/A	Full	Full	3625
SAE 100R2AT (2 Wire Braid)	S102-10	5/8	N/A	210-1J	1J (2016 Ferrule)	1.105	28.07	N/A	1 3/32" (1.100)	Full	3625
SAE 100R2AT (2 Wire Braid)	S102-10	5/8	N/A	210-KT	KT	1.050	26.67	N/A	1.5	Crimp to knurl	3625
SAE 100R16 (Hydra Lite II)	S150-10	5/8	510-500	210-	2 Piece - Steel - Non-Skived	1.105	28.07	N/A	Full	Full	3625
SAE 100R16 (Hydra Lite II)	S150-10	5/8	N/A	610-1W	1W	1.180	29.97	N/A	1 27/64"	Full	3625
SAE 100R16 (Hydra Lite II)	S150-10	5/8	N/A	210-1J	1J (2016 Ferrule)	1.105	28.07	N/A	1 3/32" (1.100)	Full	3625
SAE 100R16 (Hydra Lite II)	S150-10	5/8	N/A	210-KT	KT	1.010	25.65	N/A	1.5	Crimp to knurl	3625
SAE 100R16 (Hydra Lite II)	S150-10UHMW	5/8	510-500	210-	2 Piece - Steel - Non-Skived	1.105	28.07	N/A	Full	Full	3625
SAE 100R16 (Hydra Lite II)	S150-10UHMW	5/8	N/A	610-1W	1W	1.180	29.97	N/A	1 27/64"	Full	3625
SAE 100R16 (Hydra Lite II)	S150-10UHMW	5/8	N/A	210-1J	1J (2016 Ferrule)	1.105	28.07	N/A	1 3/32" (1.100)	Full	3625
SAE 100R16 (Hydra Lite II)	S150-10UHMW	5/8	N/A	210-KT	KT	1.010	25.65	N/A	1.5	Crimp to knurl	3625
SAE 100R17 (Hydra Lite I)	S151-10	5/8	510-500	210-	2 Piece - Steel - Non-Skived	1.125	28.58	N/A	Full	Full	3000
SAE 100R17 (Hydra Lite I)	S151-10	5/8	N/A	610-1W	1W	1.180	29.97	N/A	1 27/64"	Full	3000
SAE 100R17 (Hydra Lite I)	S151-10	5/8	N/A	210-1J	1J (2016 Ferrule)	1.105	28.07	N/A	1 3/32" (1.100)	Full	3000
SAE 100R17 (Hydra Lite I)	S151-10	5/8	N/A	210-KT	KT	0.995	25.27	N/A	1.5	Crimp to knurl	3000

SAE 100R17 (Hydra Lite I)	S151-10UHMW	5/8	510-500	210-	2 Piece - Steel - Non-Skived	1.125	28.58	N/A	Full	Full	3000
SAE 100R17 (Hydra Lite I)	S151-10UHMW	5/8	N/A	610-1W	1W	1.180	29.97	N/A	1 27/64"	Full	3000
SAE 100R17 (Hydra Lite I)	S151-10UHMW	5/8	N/A	210-1J	1J (2016 Ferrule)	1.105	28.07	N/A	1 3/32" (1.100)	Full	3000
SAE 100R17 (Hydra Lite I)	S151-10UHMW	5/8	N/A	210-KT	KT	0.995	25.27	N/A	1.5	Crimp to knurl	3000
SAE 100R5 (Cotton Cover)	1005-16	3/4	514-500	212-	2 Piece - Steel - Non-Skived	1.290	32.77	N/A	Full	Full	800
SAE 100R5 (Cotton Cover)	1005-16	3/4	N/A	212-1J	1J (2016 Ferrule)	1.290	32.77	N/A	1 9/64" (1.140)	Full	800
SAE 100R5 (Rubber Cover)	1055-16	3/4	514-500	412-	2 Piece - Steel - Non-Skived	1.290	32.77	N/A	Full	Full	800
SAE 100R5 (Rubber Cover)	1055-16	3/4	514-500	212-	2 Piece - Steel - Non-Skived	1.290	32.77	N/A	Full	Full	800
SAE 100R15 (6 Spiral)	1211-12	3/4	N/A	612-1Y	1Y	1.445	36.7	N/A	1 49/64"	Full	6000
SAE 100R12 (4 Spiral)	1212-12	3/4	412-400	412-	2 Piece - Steel - Skived	1.290	32.77	1 5/8"	Full	Full	4000
SAE 100R12 (4 Spiral)	1212-12	3/4	N/A	612-1W	1W	1.375	34.93	N/A	Full	Full	4000
SAE 100R12 (4 Spiral)	1212-12	3/4	412-500	412-	2 Piece - Steel - Non-Skived	1.355	34.42	N/A	Full	Full	4000
SAE 100R12 (4 Spiral)	1212-12	3/4	412-500	212-	2 Piece - Steel - Non-Skived	1.355	34.42	N/A	Full	Full	4000
SAE 100R12 (4 Spiral)	1212-12	3/4	N/A	612-1Y	1Y	1.425	36.2	N/A	1 49/64"	Full	4000
SAE 100R12 (4 Spiral)	1212-12	3/4	412-SS-400	212-	2 Piece - Stainless - Skived	1.295	32.89	1 5/8"	Full	Full	4000
SAE 100R12 (4 Spiral)	1212-12	3/4	412-S16-400	412-S16-	2 Piece - 316 Stainless - Skived	1.295	32.89	1 5/8"	Full	Full	4000
SAE 100R13 (4 or 6 Spiral)	1213-12	3/4	N/A	612-1W	1W	1.400	35.56	1 7/16"	Full	Full	5000
SAE 100R13 (4 or 6 Spiral)	1213-12	3/4	N/A	612-1Y	1Y	1.445	36.7	N/A	1 49/64"	Full	5000
SAE 100R13 (4 or 6 Spiral)	1213-12	3/4	N/A	612-1W	1W	1.445	36.7	TO WIRE	1-9/16"	Full	5000
SAE 100R15 (6 Spiral)	1311-12	3/4	N/A	612-1Y	1Y	1.445	36.7	N/A	1 49/64"	Full	6000
SAE 100R12 (4 Spiral)	1312-12	3/4	412-400	412-	2 Piece - Steel - Skived	1.290	32.77	1 5/8"	Full	Full	4000
SAE 100R12 (4 Spiral)	1312-12	3/4	N/A	612-1W	1W	1.375	34.93	N/A	Full	Full	4000
SAE 100R12 (4 Spiral)	1312-12	3/4	412-500	412-	2 Piece - Steel - Non-Skived	1.355	34.42	N/A	Full	Full	4000
SAE 100R12 (4 Spiral)	1312-12	3/4	412-500	212-	2 Piece - Steel - Non-Skived	1.355	34.42	N/A	Full	Full	4000
SAE 100R12 (4 Spiral)	1312-12	3/4	N/A	612-1Y	1Y	1.425	36.2	N/A	1 49/64"	Full	4000
SAE 100R12 (4 Spiral)	1312-12	3/4	412-SS-400	212-	2 Piece - Stainless - Skived	1.295	32.89	1 5/8"	Full	Full	4000
SAE 100R12 (4 Spiral)	1312-12	3/4	412-S16-400	412-S16-	2 Piece - 316 Stainless - Skived	1.295	32.89	1 5/8"	Full	Full	4000
EN 856 4SH (4 Spiral)	1312-12SH	3/4	N/A	612-1W	1W	1.375	34.93	N/A	Full	Full	6090
EN 856 4SH (4 Spiral)	1312-12SH	3/4	N/A	612-1Y	1Y	1.425	36.2	N/A	1 49/64"	Full	6090
SAE 100R13 (4 or 6 Spiral)	1313-12	3/4	N/A	612-1W	1W	1.400	35.56	1 7/16"	Full	Full	5000
SAE 100R13 (4 or 6 Spiral)	1313-12	3/4	N/A	612-1Y	1Y	1.445	36.7	N/A	1 49/64"	Full	5000
SAE 100R13 (4 or 6 Spiral)	1313-12	3/4	N/A	612-1W	1W	1.445	36.7	TO WIRE	1-9/16"	Full	5000
BOP - FIRE-FLEX	1825-12 WHITE	3/4	N/A	612-1W	1W	1.400"	35.56	TO BLACK COVER - 1.620"			5000
BOP - FIRE-FLEX	1825-12 YELLOW	3/4	N/A	612-1W	1W	1.400"	35.56	TO BLACK COVER - 1.620"			5000
SAE 100R4 (Suction and Return)	2004-12	3/4	612-400	112-	2 Piece - Steel - Non-Skived	1.280	32.51	N/A	Full	Full	300
SAE 100R4 (Suction and Return)	2004-12	3/4	312-300	212-	2 Piece - Steel - Non-Skived	1.325	33.66	N/A	Full	Full	300
SAE 100R4 (Suction and Return)	2004-12	3/4	514-500	212-	2 Piece - Steel - Non-Skived	1.290	32.77	N/A	Full	Full	300
SAE 100R4 (Suction and Return)	2014-12	3/4	N/A	212-1J	1J (2016 Ferrule)	1.290	32.77	N/A	1 9/64" (1.140)	Full	300
SAE 100R4 (Suction and Return)	2014-12	3/4	312-300	212-	2 Piece - Steel - Non-Skived	1.325	33.66	N/A	Full	Full	300
SAE 100R14 (P.T.F.E.)	6014-14	3/4	N/A	214-1PTF	1PTF	0.978	24.84	N/A	1 7/64"	Crimp to knurl	1010
Pressure Wash Hose	A096-12	3/4	512-500	212-	2 Piece - Steel - Non-Skived	1.280	32.51	N/A	Full	Full	2000
Pressure Wash Hose	A096-12	3/4	212-200	212-	2 Piece - Steel - Skived	1.180	29.97	1 1/16"	Full	Full	2000
SAE 100R1AT (1 Wire Braid)	A101-12	3/4	512-500	212-	2 Piece - Steel - Non-Skived	1.320	33.53	N/A	Full	Full	1250
SAE 100R1AT (1 Wire Braid)	A101-12	3/4	512-SS-500	412-SS-	2 Piece - Stainless - Non-Skived	1.284	32.61	N/A	Full	Full	1250
SAE 100R1AT (1 Wire Braid)	A101-12	3/4	512-S16-500	212-S16	2 Piece - 316 Stainless - Non-Skived	1.284	32.61	N/A	Full	Full	1250
SAE 100R1AT (1 Wire Braid)	A101-12	3/4	N/A	212-1J	1J (2016 Ferrule)	1.250	31.75	N/A	1 9/64" (1.140)	Full	1250
SAE 100R1AT (1 Wire Braid)	A101-12	3/4	N/A	212-KT	KT	1.150	29.21	N/A	1.54	Crimp to knurl	1250
SAE 100R2AT (2 Wire Braid)	A102-12	3/4	N/A	612-1W	1W	1.340	34.04	N/A	Full	Full	3100
SAE 100R2AT (2 Wire Braid)	A102-12	3/4	512-500	212-	2 Piece - Steel - Non-Skived	1.330	33.78	N/A	Full	Full	3100
SAE 100R2AT (2 Wire Braid)	A102-12	3/4	512-SS-500	412-SS-	2 Piece - Stainless - Non-Skived	1.334	33.88	N/A	Full	Full	3100
SAE 100R2AT (2 Wire Braid)	A102-12	3/4	512-S16-500	212-S16	2 Piece - 316 Stainless - Non-Skived	1.334	33.88	N/A	Full	Full	3100
SAE 100R2AT (2 Wire Braid)	A102-12	3/4	N/A	212-1J	1J (2016 Ferrule)	1.290	32.77	N/A	1 9/64" (1.140)	Full	3100
SAE 100R2AT (2 Wire Braid)	A102-12	3/4	N/A	212-KT	KT	1.190	30.23	N/A	1.54	Crimp to knurl	3100
SAE 100R2AT (2 Wire Braid)	A102-12	3/4	N/A	612-1Y	1Y	1.380"	35.05	N/A	1.770"	Full	3000
SAE 100R16 (Hydra Lite II)	A150-12	3/4	212-200	212-	2 Piece - Steel - Skived	1.225	31.12	1 1/16"	Full	Full	3100
SAE 100R16 (Hydra Lite II)	A150-12	3/4	612-200	212-	2 Piece - Aluminum - Skived	1.225	31.12	1 1/16"	Full	Full	3100
SAE 100R16 (Hydra Lite II)	A150-12	3/4	N/A	612-1W	1W	1.340	34.04	N/A	Full	Full	3100

SAE 100R16 (Hydra Lite II)	A150-12	3/4	512-500	212-	2 Piece - Steel - Non-Skived	1.320	33.53	N/A	Full	Full	3100
SAE 100R16 (Hydra Lite II)	A150-12	3/4	512-A-500	212-	2 Piece - Aluminum - Non-Skived	1.320	33.53	N/A	Full	Full	3100
SAE 100R16 (Hydra Lite II)	A150-12	3/4	N/A	212-1J	1J (2016 Ferrule)	1.250	31.75	N/A	1 9/64" (1.140)	Full	3100
SAE 100R16 (Hydra Lite II)	A150-12	3/4	N/A	212-KT	KT	1.150	29.21	N/A	1.54	Crimp to knurl	3100
SAE 100R16 (Hydra Lite II)	A150-12	3/4	N/A	612-1Y	1Y	1.380"	35.05	N/A	1.770"	Full	3000
SAE 100R17 (Hydra Lite I)	A151-12	3/4	N/A	612-1W	1W	1.340	34.04	N/A	Full	Full	3000
SAE 100R17 (Hydra Lite I)	A151-12	3/4	512-500	212-	2 Piece - Steel - Non-Skived	1.330	33.78	N/A	Full	Full	3000
SAE 100R17 (Hydra Lite I)	A151-12	3/4	N/A	212-1J	1J (2016 Ferrule)	1.290	32.77	N/A	1 9/64" (1.140)	Full	3000
SAE 100R17 (Hydra Lite I)	A151-12	3/4	N/A	212-KT	KT	1.160	29.46	N/A	1.54	Crimp to knurl	3000
SAE 100R17 (Hydra Lite I)	A151-12	3/4	N/A	612-1Y	1Y	1.380"	35.05	N/A	1.770"	Full	3000
DIN 20022-2SN (Hydra-Max)	A750-12	3/4	N/A	612-1W	1W	1.340	34.04	N/A	Full	Full	3000
DIN 20022-2SN (Hydra-Max)	A750-12	3/4	512-500	212-	2 Piece - Steel - Non-Skived	1.330	33.78	N/A	Full	Full	3000
BOP - FIRE-FLEX	A822-12	3/4	212-200	212-	2 Piece - Steel - Skived	1.235"	31.37	1.060"			3000
SAE 100R3 (2 Textile Braid)	B003-12	3/4	312-300	212-	2 Piece - Steel - Non-Skived	1.325	33.66	N/A	Full	Full	750
SAE 100R3 (2 Textile Braid)	B003-12	3/4	N/A	212-1J	1J (2016 Ferrule)	1.320	33.53	N/A	1 9/64" (1.140)	Full	750
SAE 100R2AT (2 Wire Braid)	S102-12	3/4	N/A	612-1W	1W	1.340	34.04	N/A	Full	Full	3100
SAE 100R2AT (2 Wire Braid)	S102-12	3/4	512-500	212-	2 Piece - Steel - Non-Skived	1.330	33.78	N/A	Full	Full	3100
SAE 100R2AT (2 Wire Braid)	S102-12	3/4	512-SS-500	412-SS-	2 Piece - Stainless - Non-Skived	1.334	33.88	N/A	Full	Full	3100
SAE 100R2AT (2 Wire Braid)	S102-12	3/4	512-S16-500	212-S16	2 Piece - 316 Stainless - Non-Skived	1.334	33.88	N/A	Full	Full	3100
SAE 100R2AT (2 Wire Braid)	S102-12	3/4	N/A	212-1J	1J (2016 Ferrule)	1.290	32.77	N/A	1 9/64" (1.140)	Full	3100
SAE 100R2AT (2 Wire Braid)	S102-12	3/4	N/A	212-KT	KT	1.190	30.23	N/A	1.54	Crimp to knurl	3100
SAE 100R2AT (2 Wire Braid)	S102-12	3/4	N/A	612-1Y	1Y	1.380"	35.05	N/A	1.770"	Full	3000
SAE 100R16 (Hydra Lite II)	S150-12	3/4	212-200	212-	2 Piece - Steel - Skived	1.225	31.12	1 1/16"	Full	Full	3100
SAE 100R16 (Hydra Lite II)	S150-12	3/4	612-200	212-	2 Piece - Aluminum - Skived	1.225	31.12	1 1/16"	Full	Full	3100
SAE 100R16 (Hydra Lite II)	S150-12	3/4	N/A	612-1W	1W	1.340	34.04	N/A	Full	Full	3100
SAE 100R16 (Hydra Lite II)	S150-12	3/4	512-500	212-	2 Piece - Steel - Non-Skived	1.320	33.53	N/A	Full	Full	3100
SAE 100R16 (Hydra Lite II)	S150-12	3/4	512-A-500	212-	2 Piece - Aluminum - Non-Skived	1.320	33.53	N/A	Full	Full	3100
SAE 100R16 (Hydra Lite II)	S150-12	3/4	N/A	212-1J	1J (2016 Ferrule)	1.250	31.75	N/A	1 9/64" (1.140)	Full	3100
SAE 100R16 (Hydra Lite II)	S150-12	3/4	N/A	212-KT	KT	1.150	29.21	N/A	1.54	Crimp to knurl	3100
SAE 100R16 (Hydra Lite II)	S150-12	3/4	N/A	612-1Y	1Y	1.380"	35.05	N/A	1.770"	Full	3000
SAE 100R17 (Hydra Lite I)	S151-12	3/4	N/A	612-1W	1W	1.340	34.04	N/A	Full	Full	3000
SAE 100R17 (Hydra Lite I)	S151-12	3/4	512-500	212-	2 Piece - Steel - Non-Skived	1.330	33.78	N/A	Full	Full	3000
SAE 100R17 (Hydra Lite I)	S151-12	3/4	N/A	212-1J	1J (2016 Ferrule)	1.290	32.77	N/A	1 9/64" (1.140)	Full	3000
SAE 100R17 (Hydra Lite I)	S151-12	3/4	N/A	212-KT	KT	1.160	29.46	N/A	1.54	Crimp to knurl	3000
SAE 100R17 (Hydra Lite I)	S151-12	3/4	N/A	612-1Y	1Y	1.380"	35.05	N/A	1.770"	Full	3000
SAE 100R17 (Hydra Lite I)	S151-12UHMW	3/4	N/A	612-1W	1W	1.340	34.04	N/A	Full	Full	3000
SAE 100R17 (Hydra Lite I)	S151-12UHMW	3/4	512-500	212-	2 Piece - Steel - Non-Skived	1.330	33.78	N/A	Full	Full	3000
SAE 100R17 (Hydra Lite I)	S151-12UHMW	3/4	N/A	212-1J	1J (2016 Ferrule)	1.290	32.77	N/A	1 9/64" (1.140)	Full	3000
SAE 100R17 (Hydra Lite I)	S151-12UHMW	3/4	N/A	212-KT	KT	1.160	29.46	N/A	1.54	Crimp to knurl	3000
SAE 100R17 (Hydra Lite I)	S151-12UHMW	3/4	N/A	612-1Y	1Y	1.380"	35.05	N/A	1.770"	Full	3000
XF2SNK - DIN EN 857	XF2SNK-12	3/4	512-500	212-	2 Piece - Steel - Non-Skived	1.320	33.53	N/A	Full	Full	4060
XF2SNK - DIN EN 857	XF2SNK-12UHMW	3/4	512-500	212-	2 Piece - Steel - Non-Skived	1.320	33.53	N/A	Full	Full	4060
SAE 100R5 (Cotton Cover)	1005-16	7/8	514-500	214-	2 Piece - Steel - Non-Skived	1.330	33.78	N/A	Full	Full	800
SAE 100R5 (Cotton Cover)	1005-16	7/8	N/A	216-1PR5	1PR5	1.260	32	N/A	1 13/64"	Crimp to knurl	800
SAE 100R5 (Rubber Cover)	1055-16	7/8	514-500	214-	2 Piece - Steel - Non-Skived	1.330	33.78	N/A	Full	Full	800
SAE 100R5 (Cotton Cover- High Temp 1)	1803-16	7/8	N/A	216-1PR5	1PR5	1.260	32	N/A	1 13/64"	Crimp to knurl	800
SAE 100R14 (P.T.F.E.)	6014-16	7/8	N/A	216-1PTF	1PTF	1.100	27.94	N/A	1 7/64"	Crimp to knurl	870
SAE J1527 (Blu Finn Marine Fuel)	A360-16	7/8	N/A	216-1PR5	1PR5	1.270	32.26	N/A	1 13/64"	Crimp to knurl	400
SAE 100R5 (Cotton Cover)	1005-20	1	516-500	216-	2 Piece - Steel - Non-Skived	1.650	41.91	N/A	Full	Full	625
SAE 100R5 (Cotton Cover)	1005-20	1	N/A	216-1J	1J (2016 Ferrule)	1.635	41.53	N/A	1 11/32" (1.350)	Full	625
SAE 100R5 (Rubber Cover)	1005-20	1	N/A	216-1JSS	1JSS	1.610	40.89	N/A	1.35	Full	625
SAE 100R5 (Rubber Cover)	1055-20	1	516-500	216-	2 Piece - Steel - Non-Skived	1.650	41.91	N/A	Full	Full	625
SAE 100R15 (6 Spiral)	1211-16	1	N/A	616-1Y	1Y	1.787	45.39	N/A	2 9/16"	Full	6000
SAE 100R12 (4 Spiral)	1212-16	1	416-400	416-	2 Piece - Steel - Skived	1.560	39.62	1 5/8"	Full	Full	4000
SAE 100R12 (4 Spiral)	1212-16	1	N/A	616-1W	1W	1.700	43.18	N/A	Full	Full	4000
SAE 100R12 (4 Spiral)	1212-16	1	416-500	416-	2 Piece - Steel - Non-Skived	1.650	41.91	N/A	Full	Full	4000
SAE 100R12 (4 Spiral)	1212-16	1	N/A	616-1Y	1Y	1.768	44.91	N/A	2 9/16"	Full	4000

SAE 100R12 (4 Spiral)	1212-16	1	416-SS-400	220-SS-	2 Piece - Stainless - Skived	1.560	39.62	1 5/8"	Full	Full	4000
SAE 100R12 (4 Spiral)	1212-16	1	416-S16-400	416-S16-	2 Piece - 316 Stainless - Skived	1.560	39.62	1 5/8"	Full	Full	4000
SAE 100R13 (4 or 6 Spiral)	1213-16	1	N/A	616-1W	1W	1.725	43.82	1 25/32"	Full	Full	5000
SAE 100R13 (4 or 6 Spiral)	1213-16	1	N/A	616-1Y	1Y	1.787	45.39	N/A	2 9/16"	Full	5000
SAE 100R13 (4 or 6 Spiral)	1213-16	1	N/A	616-1W	1W	1.785	45.34	TO WIRE	1-3/4"	Full	5000
SAE 100R15 (6 Spiral)	1311-16	1	N/A	616-1Y	1Y	1.787	45.39	N/A	2 9/16"	Full	6000
SAE 100R12 (4 Spiral)	1312-16	1	416-400	416-	2 Piece - Steel - Skived	1.560	39.62	1 5/8"	Full	Full	4000
SAE 100R12 (4 Spiral)	1312-16	1	N/A	616-1W	1W	1.700	43.18	N/A	Full	Full	4000
SAE 100R12 (4 Spiral)	1312-16	1	416-500	416-	2 Piece - Steel - Non-Skived	1.650	41.91	N/A	Full	Full	4000
SAE 100R12 (4 Spiral)	1312-16	1	N/A	616-1Y	1Y	1.768	44.91	N/A	2 9/16"	Full	4000
SAE 100R12 (4 Spiral)	1312-16	1	416-SS-400	220-SS-	2 Piece - Stainless - Skived	1.560	39.62	1 5/8"	Full	Full	4000
SAE 100R12 (4 Spiral)	1312-16	1	416-S16-400	416-S16-	2 Piece - 316 Stainless - Skived	1.560	39.62	1 5/8"	Full	Full	4000
EN 856 4SH (4 Spiral)	1312-16SH	1	N/A	616-1W	1W	1.700	43.18	N/A	Full	Full	5510
EN 856 4SH (4 Spiral)	1312-16SH	1	N/A	616-1Y	1Y	1.768"	44.91	N/A	2 9/16"	Full	5510
SAE 100R13 (4 or 6 Spiral)	1313-16	1	N/A	616-1W	1W	1.725	43.82	1 25/32"	Full	Full	5000
SAE 100R13 (4 or 6 Spiral)	1313-16	1	N/A	616-1Y	1Y	1.787	45.39	N/A	2 9/16"	Full	5000
SAE 100R13 (4 or 6 Spiral)	1313-16	1	N/A	616-1W	1W	1.785	45.34	TO WIRE	1-3/4"	Full	5000
BOP - FIRE-FLEX	1825-16 WHITE	1	N/A	616-1W	1W	1.700"	43.18	TO BLACK COVER - 1.840"			5000
BOP - FIRE-FLEX	1825-16 YELLOW	1	N/A	616-1W	1W	1.725"	43.82	TO BLACK COVER - 1.840"			5000
SAE 100R4 (Suction and Return)	2004-16	1	616-400	116-	2 Piece - Steel - Non-Skived	1.560	39.62	N/A	Full	Full	250
SAE 100R4 (Suction and Return)	2004-16	1	316-300	216-	2 Piece - Steel - Non-Skived	1.600	40.64	N/A	Full	Full	250
SAE 100R4 (Suction and Return)	2014-16	1	N/A	216-1J	1J (2016 Ferrule)	1.635	41.53	N/A	1 11/32" (1.350)	Full	250
SAE 100R4 (Suction and Return)	2014-16	1	N/A	216-1JSS	1JSS	1.610	40.89	N/A	1.35	Full	250
SAE 100R4 (Suction and Return)	2014-16	1	316-300	216-	2 Piece - Steel - Non-Skived	1.600	40.64	N/A	Full	Full	250
SAE 100R14 (P.T.F.E.)	6014-18	1	N/A	218-1PTF	1PTF	1.225	31.12	N/A	1 5/32"	Crimp to knurl	870
9XF5000 - 9 LIVES XFLEX	9XF5000-16	1	N/A	616-1W	1W	1.700	43.18	N/A	1 3/4"	Full	5100
SAE 100R1AT (1 Wire Braid)	A101-16	1	516-500	216-	2 Piece - Steel - Non-Skived	1.650	41.91	N/A	Full	Full	1000
SAE 100R1AT (1 Wire Braid)	A101-16	1	516-SS-500	416-SS-	2 Piece - Stainless - Non-Skived	1.613	40.97	N/A	Full	Full	1000
SAE 100R1AT (1 Wire Braid)	A101-16	1	516-S16-500	216-S16	2 Piece - 316 Stainless - Non-Skived	1.613	40.97	N/A	Full	Full	1000
SAE 100R1AT (1 Wire Braid)	A101-16	1	N/A	216-1J	1J (2016 Ferrule)	1.600	40.64	N/A	1 11/32" (1.350)	Full	1000
SAE 100R1AT (1 Wire Braid)	A101-16	1	N/A	216-KT	KT	1.430	36.32	N/A	1.66	Crimp to knurl	1000
SAE 100R1AT (1 Wire Braid)	A101-16	1	N/A	216-1JSS	1JSS	1.575	40.01	N/A	1.35	Full	1000
SAE 100R2AT (2 Wire Braid)	A102-16	1	N/A	616-1W	1W	1.680	42.67	N/A	Full	Full	2400
SAE 100R2AT (2 Wire Braid)	A102-16	1	516-500	216-	2 Piece - Steel - Non-Skived	1.670	42.42	N/A	Full	Full	2400
SAE 100R2AT (2 Wire Braid)	A102-16	1	N/A	216-1J	1J (2016 Ferrule)	1.635	41.53	N/A	1 11/32" (1.350)	Full	2400
SAE 100R2AT (2 Wire Braid)	A102-16	1	N/A	216-KT	KT	1.480	37.59	N/A	1.66	Crimp to knurl	2400
SAE 100R2AT (2 Wire Braid)	A102-16	1	N/A	216-1JSS	1JSS	1.610	40.89	N/A	1.35	Full	2400
SAE 100R2AT (2 Wire Braid)	A102-16	1	N/A	616-1Y	1Y	1.850"	46.99	N/A	2.560"	Full	2400
SAE 100R16 (Hydra Lite II)	A150-16	1	216-200	216-	2 Piece - Steel - Skived	1.550	39.37	1 1/8"	Full	Full	2400
SAE 100R16 (Hydra Lite II)	A150-16	1	616-200	216-	2 Piece - Aluminum - Skived	1.550	39.37	1 1/8"	Full	Full	2400
SAE 100R16 (Hydra Lite II)	A150-16	1	N/A	616-1W	1W	1.680	42.67	N/A	Full	Full	2400
SAE 100R16 (Hydra Lite II)	A150-16	1	516-500	216-	2 Piece - Steel - Non-Skived	1.650	41.91	N/A	Full	Full	2400
SAE 100R16 (Hydra Lite II)	A150-16	1	516-A-500	216-	2 Piece - Aluminum - Non-Skived	1.650	41.91	N/A	Full	Full	2400
SAE 100R16 (Hydra Lite II)	A150-16	1	N/A	216-1J	1J (2016 Ferrule)	1.620	41.15	N/A	1 11/32" (1.350)	Full	2400
SAE 100R16 (Hydra Lite II)	A150-16	1	N/A	216-KT	KT	1.425	36.2	N/A	1.66	Crimp to knurl	2400
SAE 100R16 (Hydra Lite II)	A150-16	1	N/A	216-1JSS	1JSS	1.595	40.51	N/A	1.35	Full	2400
SAE 100R16 (Hydra Lite II)	A150-16	1	N/A	616-1Y	1Y	1.850"	46.99	N/A	2.560"	Full	2400
SAE 100R17 (Hydra Lite I)	A151-16	1	N/A	616-1W	1W	1.680	42.67	N/A	Full	Full	3000
SAE 100R17 (Hydra Lite I)	A151-16	1	516-500	216-	2 Piece - Steel - Non-Skived	1.670	42.42	N/A	Full	Full	3000
SAE 100R17 (Hydra Lite I)	A151-16	1	N/A	216-1J	1J (2016 Ferrule)	1.635	41.53	N/A	1 11/32" (1.350)	Full	3000
SAE 100R17 (Hydra Lite I)	A151-16	1	N/A	216-1JSS	1JSS	1.610	40.89	N/A	1.35	Full	3000
SAE 100R17 (Hydra Lite I)	A151-16	1	N/A	616-1Y	1Y	1.850"	46.99	N/A	2.560"	Full	3000
DIN 20022-2SN (Hydra-Max)	A750-16	1	N/A	616-1W	1W	1.680	42.67	N/A	Full	Full	2750
DIN 20022-2SN (Hydra-Max)	A750-16	1	516-500	216-	2 Piece - Steel - Non-Skived	1.670	42.42	N/A	Full	Full	2750
BOP - FIRE-FLEX	A822-16	1	216-200	216-	2 Piece - Steel - Skived	1.560"	39.62	1.130"			3000
SAE 100R3 (2 Textile Braid)	B003-16	1	316-300	216-	2 Piece - Steel - Non-Skived	1.600	40.64	N/A	Full	Full	565
SAE 100R3 (2 Textile Braid)	B003-16	1	N/A	216-1J	1J (2016 Ferrule)	1.645	41.78	N/A	1 11/32" (1.350)	Full	565

SAE 100R3 (2 Textile Braid)	B003-16	1	N/A	216-1JSS	1JSS	1.620	41.15	N/A	1.35	Full	565
SAE 100R2AT (2 Wire Braid)	S102-16	1	N/A	616-1W	1W	1.680	42.67	N/A	Full	Full	2400
SAE 100R2AT (2 Wire Braid)	S102-16	1	516-500	216-	2 Piece - Steel - Non-Skived	1.670	42.42	N/A	Full	Full	2400
SAE 100R2AT (2 Wire Braid)	S102-16	1	N/A	216-1J	1J (2016 Ferrule)	1.635	41.53	N/A	1 11/32" (1.350)	Full	2400
SAE 100R2AT (2 Wire Braid)	S102-16	1	N/A	216-KT	KT	1.480	37.59	N/A	1.66	Crimp to knurl	2400
SAE 100R2AT (2 Wire Braid)	S102-16	1	N/A	216-1JSS	1JSS	1.610	40.89	N/A	1.35	Full	2400
SAE 100R2AT (2 Wire Braid)	S102-16	1	N/A	616-1Y	1Y	1.850"	46.99	N/A	2.560"	Full	2400
SAE 100R16 (Hydra Lite II)	S150-16	1	216-200	216-	2 Piece - Steel - Skived	1.550	39.37	1 1/8"	Full	Full	2400
SAE 100R16 (Hydra Lite II)	S150-16	1	616-200	216-	2 Piece - Aluminum - Skived	1.550	39.37	1 1/8"	Full	Full	2400
SAE 100R16 (Hydra Lite II)	S150-16	1	N/A	616-1W	1W	1.680	42.67	N/A	Full	Full	2400
SAE 100R16 (Hydra Lite II)	S150-16	1	516-500	216-	2 Piece - Steel - Non-Skived	1.650	41.91	N/A	Full	Full	2400
SAE 100R16 (Hydra Lite II)	S150-16	1	516-A-500	216-	2 Piece - Aluminum - Non-Skived	1.650	41.91	N/A	Full	Full	2400
SAE 100R16 (Hydra Lite II)	S150-16	1	N/A	216-1J	1J (2016 Ferrule)	1.620	41.15	N/A	1 11/32" (1.350)	Full	2400
SAE 100R16 (Hydra Lite II)	S150-16	1	N/A	216-KT	KT	1.425	36.2	N/A	1.66	Crimp to knurl	2400
SAE 100R16 (Hydra Lite II)	S150-16	1	N/A	216-1JSS	1JSS	1.595	40.51	N/A	1.35	Full	2400
SAE 100R16 (Hydra Lite II)	S150-16	1	N/A	616-1Y	1Y	1.850"	46.99	N/A	2.560"	Full	2400
SAE 100R17 (Hydra Lite I)	S151-16	1	N/A	616-1W	1W	1.680	42.67	N/A	Full	Full	3000
SAE 100R17 (Hydra Lite I)	S151-16	1	516-500	216-	2 Piece - Steel - Non-Skived	1.670	42.42	N/A	Full	Full	3000
SAE 100R17 (Hydra Lite I)	S151-16	1	N/A	216-1J	1J (2016 Ferrule)	1.635	41.53	N/A	1 11/32" (1.350)	Full	3000
SAE 100R17 (Hydra Lite I)	S151-16	1	N/A	216-1JSS	1JSS	1.610	40.89	N/A	1.35	Full	3000
SAE 100R17 (Hydra Lite I)	S151-16	1	N/A	616-1Y	1Y	1.850"	46.99	N/A	2.560"	Full	3000
SAE 100R17 (Hydra Lite I)	S151-16UHMW	1	N/A	616-1W	1W	1.680	42.67	N/A	Full	Full	3000
SAE 100R17 (Hydra Lite I)	S151-16UHMW	1	516-500	216-	2 Piece - Steel - Non-Skived	1.670	42.42	N/A	Full	Full	3000
SAE 100R17 (Hydra Lite I)	S151-16UHMW	1	N/A	216-1J	1J (2016 Ferrule)	1.635	41.53	N/A	1 11/32" (1.350)	Full	3000
SAE 100R17 (Hydra Lite I)	S151-16UHMW	1	N/A	216-1JSS	1JSS	1.610	40.89	N/A	1.35	Full	3000
SAE 100R17 (Hydra Lite I)	S151-16UHMW	1	N/A	616-1Y	1Y	1.850"	46.99	N/A	2.560"	Full	3000
XF2SNK -DIN EN 857	XF2SNK-16	1	516-500	216-	2 Piece - Steel - Non-Skived	1.650	41.91	N/A	Full	Full	2900
XF2SNK -DIN EN 857	XF2SNK-16UHMW	1	516-500	216-	2 Piece - Steel - Non-Skived	1.650	41.91	N/A	Full	Full	2900
SAE 100R5 (Cotton Cover)	1005-20	1 1/8	516-500	220-	2 Piece - Steel - Non-Skived	1.740	44.2	N/A	Full	Full	625
SAE 100R5 (Cotton Cover)	1005-20	1 1/8	N/A	220-1PR5	1PR5	1.520	38.61	N/A	1 29/64"	Crimp to knurl	625
SAE 100R5 (Rubber Cover)	1055-20	1 1/8	516-500	220-	2 Piece - Steel - Non-Skived	1.740	44.2	N/A	Full	Full	625
SAE 100R5 (Cotton Cover- High Temp 1)	1803-20	1 1/8	N/A	220-1PR5	1PR5	1.520	38.61	N/A	1 29/64"	Crimp to knurl	625
SAE 100R14 (P.T.F.E.)	6014-20	1 1/8	N/A	220-1PTF	1PTF	1.385	35.18	N/A	1 3/4"	Crimp to knurl	630
SAE 100R5 (Cotton Cover)	1005-24	1 1/4	220-200	220-	2 Piece - Steel - Non-Skived	1.840	46.74	N/A	Full	Full	500
SAE 100R1AT (1 Wire Braid)	1101-20	1 1/4	520-500	220-	2 Piece - Steel - Non-Skived	1.960	49.78	N/A	Full	Full	625
SAE 100R1AT (1 Wire Braid)	1101-20	1 1/4	N/A	620-1W	1W	2.055	52.2	N/A	2"	Full	625
SAE 100R1AT (1 Wire Braid)	1101-20	1 1/4	N/A	220-1J	1J (2016 Ferrule)	1.975	50.17	N/A	1 3/4" (1.750)	Full	625
SAE 100R1AT (1 Wire Braid)	1101-20	1 1/4	N/A	220-KT	KT	1.830	46.48	N/A	2.03	Crimp to knurl	625
SAE 100R1AT (1 Wire Braid)	1101-20	1 1/4	420-SS-400	220-SS	2 Piece - Stainless - Skived	1.985	50.42	1 11/16"	Full	Full	625
SAE 100R1AT (1 Wire Braid)	1101-20	1 1/4	420-S16-400	420-S16-	2 Piece - 316 Stainless - Skived	1.985	50.42	1 11/16"	Full	Full	625
SAE 100R2AT (2 Wire Braid)	1102-20	1 1/4	N/A	620-1W	1W	2.095	53.21	N/A	Full	Full	1825
SAE 100R2AT (2 Wire Braid)	1102-20	1 1/4	520-500	220-	2 Piece - Steel - Non-Skived	2.060	52.32	N/A	Full	Full	1825
SAE 100R2AT (2 Wire Braid)	1102-20	1 1/4	N/A	220-1J	1J (2016 Ferrule)	2.015	51.18	N/A	1 3/4" (1.750)	Full	1825
SAE 100R2AT (2 Wire Braid)	1102-20	1 1/4	N/A	220-KT	KT	1.920	48.77	N/A	2.03	Crimp to knurl	1825
SAE 100R2AT (2 Wire Braid)	1102-20	1 1/4	N/A	620-1Y	1Y	2.060"	52.32	N/A	2.950"	Full	1824
SAE 100R15 (6 Spiral)	1211-20	1 1/4	N/A	620-1Y	1Y	2.213	56.21	N/A	2 61/64"	Full	6000
SAE 100R12 (4 Spiral)	1212-20	1 1/4	420-400	220-	2 Piece - Steel - Skived	1.930	49.02	1 11/16"	Full	Full	3000
SAE 100R12 (4 Spiral)	1212-20	1 1/4	420-SS-400	220-SS	2 Piece - Stainless - Skived	1.965	49.91	1 11/16"	Full	Full	3000
SAE 100R12 (4 Spiral)	1212-20	1 1/4	420-S16-400	420-S16-	2 Piece - 316 Stainless - Skived	1.965	49.91	1 11/16"	Full	Full	3000
SAE 100R12 (4 Spiral)	1212-20	1 1/4	N/A	620-1W	1W	2.075	52.71	N/A	Full	Full	3000
SAE 100R12 (4 Spiral)	1212-20	1 1/4	420-500	220-	2 Piece - Steel - Non-Skived	2.035	51.69	N/A	Full	Full	3000
SAE 100R12 (4 Spiral)	1212-20	1 1/4	N/A	620-1Y	1Y	2.106	53.49	N/A	2 61/64"	Full	3000
SAE 100R13 (4 or 6 Spiral)	1213-20	1 1/4	N/A	620-1W	1W	2.125	53.98	1 27/32"	Full	Full	5000
SAE 100R13 (4 or 6 Spiral)	1213-20	1 1/4	N/A	620-1Y	1Y	2.248	57.1	N/A	2 61/64"	Full	5000
SAE 100R13 (4 or 6 Spiral)	1213-32	1 1/4	N/A	620-1W	1W	2.125	53.98	TO WIRE	Full	Full	5000
SAE 100R15 (6 Spiral)	1311-20	1 1/4	N/A	620-1Y	1Y	2.213	56.21	N/A	2 61/64"	Full	6000
SAE 100R12 (4 Spiral)	1312-20	1 1/4	420-400	220-	2 Piece - Steel - Skived	1.930	49.02	1 11/16"	Full	Full	3000

SAE 100R12 (4 Spiral)	1312-20	1 1/4	420-SS-400	220-SS	2 Piece - Stainless - Skived	1.965	49.91	1 11/16"	Full	Full	3000
SAE 100R12 (4 Spiral)	1312-20	1 1/4	420-S16-400	420-S16-	2 Piece - 316 Stainless - Skived	1.965	49.91	1 11/16"	Full	Full	3000
SAE 100R12 (4 Spiral)	1312-20	1 1/4	N/A	620-1W	1W	2.075	52.71	N/A	Full	Full	3000
SAE 100R12 (4 Spiral)	1312-20	1 1/4	420-500	220-	2 Piece - Steel - Non-Skived	2.035	51.69	N/A	Full	Full	3000
SAE 100R12 (4 Spiral)	1312-20	1 1/4	N/A	620-1Y	1Y	2.106	53.49	N/A	2 61/64"	Full	3000
EN 856 4SH (4 Spiral)	1312-20SH	1 1/4	N/A	620-1W	1W	2.010	51.05	N/A	Full	Full	5000
EN 856 4SH (4 Spiral)	1312-20SH	1 1/4	N/A	620-1Y	1Y	2.106"	53.49	N/A	2 61/64"	Full	5000
SAE 100R13 (4 or 6 Spiral)	1313-20	1 1/4	N/A	620-1W	1W	2.125	53.98	1 27/32"	Full	Full	5000
SAE 100R13 (4 or 6 Spiral)	1313-20	1 1/4	N/A	620-1Y	1Y	2.248	57.1	N/A	2 61/64"	Full	5000
SAE 100R13 (4 or 6 Spiral)	1313-32	1 1/4	N/A	620-1W	1W	2.125	53.98	TO WIRE	Full	Full	5000
DIN 20022-2SN (Hydra-Max)	1750-20	1 1/4	N/A	620-1W	1W	2.095	53.21	N/A	Full	Full	1800
DIN 20022-2SN (Hydra-Max)	1750-20	1 1/4	520-500	220-	2 Piece - Steel - Non-Skived	2.060	52.32	N/A	Full	Full	1800
BOP - FIRE-FLEX	1822-20	1 1/4	N/A	620-1W	1W	2.125"	53.98	1.850"			3000
BOP - FIRE-FLEX	1825-20	1 1/4	N/A	620-1W	1W	2.125"	53.98	1.850"			5000
SAE 100R3 (2 Textile Braid)	2003-20	1 1/4	220-200	220-	2 Piece - Steel - Non-Skived	1.960	49.78	N/A	Full	Full	375
SAE 100R3 (2 Textile Braid)	2003-20	1 1/4	N/A	220-1J	1J (2016 Ferrule)	2.030	51.56	N/A	1 3/4" (1.750)	Full	375
SAE 100R4 (Suction and Return)	2004-20	1 1/4	220-200	220-	2 Piece - Steel - Non-Skived	1.960	49.78	N/A	Full	Full	200
SAE 100R4 (Suction and Return)	2004-20	1 1/4	620-400	120-	2 Piece - Steel - Non-Skived	1.825	46.36	N/A	Full	Full	200
SAE 100R4 (Suction and Return)	2014-20	1 1/4	N/A	220-1J	1J (2016 Ferrule)	2.015	51.18	N/A	1 3/4" (1.750)	Full	200
SAE 100R4 (Suction and Return)	2014-20	1 1/4	220-200	220-	2 Piece - Steel - Non-Skived	1.960	49.78	N/A	Full	Full	200
SAE 100R5 (Cotton Cover)	1005-24	1 3/8	220-200	224-	2 Piece - Steel - Non-Skived	1.910	48.51	N/A	Full	Full	500
SAE 100R5 (Cotton Cover)	1005-24	1 3/8	N/A	224-1PR5	1PR5	1.725	43.82	N/A	1 21/32"	Crimp to knurl	500
SAE 100R5 (Rubber Cover)	1055-24	1 3/8	220-200	224-	2 Piece - Steel - Non-Skived	1.910	48.51	N/A	Full	Full	500
SAE 100R5 (Cotton Cover- High Temp 1)	1803-24	1 3/8	N/A	224-1PR5	1PR5	1.725	43.82	N/A	1 21/32"	Crimp to knurl	500
SAE 100R1AT (1 Wire Braid)	1101-24	1 1/2	524-500	224-	2 Piece - Steel - Non-Skived	2.260	57.4	N/A	Full	Full	500
SAE 100R1AT (1 Wire Braid)	1101-24	1 1/2	N/A	624-1W	1W	2.340	59.44	N/A	2 1/4"	Full	500
SAE 100R2AT (2 Wire Braid)	1102-24	1 1/2	N/A	624-1W	1W	2.380	60.45	N/A	Full	Full	1300
SAE 100R2AT (2 Wire Braid)	1102-24	1 1/2	524-500	224-	2 Piece - Steel - Non-Skived	2.280	57.91	N/A	Full	Full	1300
SAE 100R2AT (2 Wire Braid)	1102-24	1 1/2	N/A	624-1Y	1Y	2.390"	60.71	N/A	3.070"	Full	1300
SAE 100R15 (6 Spiral)	1211-24	1 1/2	N/A	624-1Y	1Y	2.531	64.29	N/A	3 1/16"	Full	6000
SAE 100R12 (4 Spiral)	1212-24	1 1/2	N/A	624-1W	1W	2.365	60.07	N/A	Full	Full	2500
SAE 100R12 (4 Spiral)	1212-24	1 1/2	424-400	224-	2 Piece - Steel - Skived	2.200	55.88	1 7/8"	Full	Full	2500
SAE 100R12 (4 Spiral)	1212-24	1 1/2	424-500	224-	2 Piece - Steel - Non-Skived	2.360	59.94	N/A	Full	Full	2500
SAE 100R12 (4 Spiral)	1212-24	1 1/2	N/A	624-1Y	1Y	2.378	60.4	N/A	3 1/16"	Full	2500
SAE 100R13 (4 or 6 Spiral)	1213-24	1 1/2	N/A	624-1W	1W	2.465	62.61	2 9/64"	Full	Full	5000
SAE 100R13 (4 or 6 Spiral)	1213-24	1 1/2	N/A	624-1Y	1Y	2.524	64.11	N/A	3 1/16"	Full	5000
SAE 100R13 (4 or 6 Spiral)	1213-24	1 1/2	N/A	624-1W	1W	2.125	53.98	TO WIRE	2	Full	5000
SAE 100R15 (6 Spiral)	1311-24	1 1/2	N/A	624-1Y	1Y	2.531	64.29	N/A	3 1/16"	Full	6000
SAE 100R12 (4 Spiral)	1312-24	1 1/2	N/A	624-1W	1W	2.365	60.07	N/A	Full	Full	2500
SAE 100R12 (4 Spiral)	1312-24	1 1/2	424-400	224-	2 Piece - Steel - Skived	2.200	55.88	1 7/8"	Full	Full	2500
SAE 100R12 (4 Spiral)	1312-24	1 1/2	424-500	224-	2 Piece - Steel - Non-Skived	2.360	59.94	N/A	Full	Full	2500
SAE 100R12 (4 Spiral)	1312-24	1 1/2	N/A	624-1Y	1Y	2.378	60.4	N/A	3 1/16"	Full	2500
EN 856 4SH (4 Spiral)	1312-24SH	1 1/2	N/A	624-1W	1W	2.365	60.07	N/A	Full	Full	4205
EN 856 4SH (4 Spiral)	1312-24SH	1 1/2	N/A	624-1Y	1Y	2.378	60.4	N/A	3 1/16"	Full	4205
SAE 100R13 (4 or 6 Spiral)	1313-24	1 1/2	N/A	624-1W	1W	2.465	62.61	2 9/64"	Full	Full	5000
SAE 100R13 (4 or 6 Spiral)	1313-24	1 1/2	N/A	624-1Y	1Y	2.524	64.11	N/A	3 1/16"	Full	5000
SAE 100R13 (4 or 6 Spiral)	1313-24	1 1/2	N/A	624-1W	1W	2.125	53.98	TO WIRE	2	Full	5000
DIN 20022-2SN (Hydra-Max)	1750-24	1 1/2	N/A	624-1W	1W	2.380	60.45	N/A	Full	Full	1300
BOP - FIRE-FLEX	1825-24	1 1/2	N/A	620-1W	1W	2.465"	62.61	2.140"			5000
SAE 100R4 (Suction and Return)	2004-24	1 1/2	624-400	124-	2 Piece - Steel - Non-Skived	2.040	51.82	N/A	Full	Full	150
SAE 100R4 (Suction and Return)	2014-24	1 1/2	624-400	124-	2 Piece - Steel - Non-Skived	2.040	51.82	N/A	Full	Full	150
SAE 100R5 (Cotton Cover)	1005-32	1 13/16	524-500	232-	2 Piece - Steel - Non-Skived	2.430	61.72	N/A	Full	Full	350
SAE 100R5 (Cotton Cover)	1005-32	1 13/16	N/A	232-1PR5	1PR5	2.200	55.88	N/A	2	Crimp to knurl	350
SAE 100R5 (Rubber Cover)	1055-32	1 13/16	524-500	232-	2 Piece - Steel - Non-Skived	2.430	61.72	N/A	Full	Full	350
SAE 100R5 (Cotton Cover- High Temp 1)	1803-32	1 13/16	N/A	232-1PR5	1PR5	2.200	55.88	N/A	2	Crimp to knurl	350
SAE 100R5 (Cotton Cover)	1005-32	2	524-500	232-R5	2 Piece - Steel - Non-Skived	2.430	61.72	N/A	Full	Full	350
SAE 100R1AT (1 Wire Braid)	1101-32	2	532-500	232-	2 Piece - Steel - Non-Skived	2.820	71.63	N/A	Full	Full	375

SAE 100R1AT (1 Wire Braid)	1101-32	2	N/A	632-1W	1W	2.760	70.1	N/A	2 3/4"	Full	375
SAE 100R2AT (2 Wire Braid)	1102-32	2	N/A	632-1W	1W	2.760	70.1	N/A	Full	Full	1160
SAE 100R2AT (2 Wire Braid)	1102-32	2	532-500	232-	2 Piece - Steel - Non-Skived	2.875	73.03	N/A	Full	Full	1160
SAE 100R2AT (2 Wire Braid)	1102-32	2	N/A	632-1Y	1Y	2.930"	74.42	N/A	3.070"	Full	1160
SAE 100R15 (6 Spiral)	1211-32	2	N/A	632-1Y	1Y	3.114	79.1	N/A	3 1/16"	Full	6000
SAE 100R12 (4 Spiral)	1212-32	2	432-400	232-R5	2 Piece - Steel - Skived	2.860	72.64	2 3/8"	Full	Full	2500
SAE 100R12 (4 Spiral)	1212-32	2	N/A	632-1W	1W	2.780	70.61	N/A	Full	Full	2500
SAE 100R12 (4 Spiral)	1212-32	2	432-500	232-R5	2 Piece - Steel - Non-Skived	2.950	74.93	N/A	Full	Full	2500
SAE 100R12 (4 Spiral)	1212-32	2	N/A	632-1Y	1Y	2.898	73.61	N/A	3 1/16"	Full	2500
SAE 100R13 (4 or 6 Spiral)	1213-32	2	N/A	632-1W	1W	2.960	75.18	2 1/2"	Full	Full	5000
SAE 100R13 (4 or 6 Spiral)	1213-32	2	N/A	632-1Y	1Y	3.114	79.1	N/A	3 1/16"	Full	5000
SAE 100R13 (4 or 6 Spiral)	1213-32	2	N/A	632-1W	1W	2.960	75.18	N/A	2-3/4"	Full	5000
SAE 100R15 (6 Spiral)	1311-32	2	N/A	632-1Y	1Y	3.114	79.1	N/A	3 1/16"	Full	6000
SAE 100R12 (4 Spiral)	1312-32	2	432-400	232-R5	2 Piece - Steel - Skived	2.860	72.64	2 3/8"	Full	Full	2500
SAE 100R12 (4 Spiral)	1312-32	2	N/A	632-1W	1W	2.780	70.61	N/A	Full	Full	2500
SAE 100R12 (4 Spiral)	1312-32	2	432-500	232-R5	2 Piece - Steel - Non-Skived	2.950	74.93	N/A	Full	Full	2500
SAE 100R12 (4 Spiral)	1312-32	2	N/A	632-1Y	1Y	2.898	73.61	N/A	3 1/16"	Full	2500
EN 856 4SH (4 Spiral)	1312-32SH	2	N/A	632-1W	1W	2.780	70.61	N/A	Full	Full	3625
EN 856 4SH (4 Spiral)	1312-32SH	2	N/A	632-1Y	1Y	2.898	73.61	N/A	3 1/16"	Full	3625
SAE 100R13 (4 or 6 Spiral)	1313-32	2	N/A	632-1W	1W	2.960	75.18	2 1/2"	Full	Full	5000
SAE 100R13 (4 or 6 Spiral)	1313-32	2	N/A	632-1Y	1Y	3.114	79.1	N/A	3 1/16"	Full	5000
SAE 100R13 (4 or 6 Spiral)	1313-32	2	N/A	632-1W	1W	2.960	75.18	N/A	2-3/4"	Full	5000
DIN 20022-2SN (Hydra-Max)	1750-32	2	N/A	632-1W	1W	2.760	70.1	N/A	Full	Full	1160
BOP - FIRE-FLEX	1825-32	2	N/A	632-1W	1W	2.960"	75.18	2.500"			5000
SAE 100R4 (Suction and Return)	2004-32	2	632-400	132-	2 Piece - Steel - Non-Skived	2.480	62.99	N/A	Full	Full	100
SAE 100R4 (Suction and Return)	2014-32	2	632-400	132-	2 Piece - Steel - Non-Skived	2.480	62.99	N/A	Full	Full	100
MUDD DAWG	MD5000-32	2	N/A	632-1W	1W	2.740	69.6	N/A	Full	Full	5000
MUDD DAWG	MD5000-32	2	N/A	632-1Y	1Y	2.898	73.61	N/A	Full	Full	5000
SAE 100R5 (Cotton Cover)	1005-40	2 3/8	532-R5-500	240-	2 Piece - Steel - Non-Skived	3.120	79.25	N/A	Full	Full	350
SAE 100R4 (Suction and Return)	2004-40	2 1/2	640-400	140-	2 Piece - Steel - Non-Skived	3.015	76.58	N/A	Full	Full	62
SAE 100R4 (Suction and Return)	2014-40	2 1/2	640-400	140-	2 Piece - Steel - Non-Skived	3.015	76.58	N/A	Full	Full	62
SAE 100R4 (Suction and Return)	2004-48	3	648-400	148-	2 Piece - Steel - Non-Skived	3.530	89.66	N/A	Full	Full	56
SAE 100R4 (Suction and Return)	2004-56	3 1/2	656-400	156-	2 Piece - Steel - Non-Skived	4.095	104.01	N/A	Full	Full	45